



PRODUCT-DETAILS

BVWV-G00M

COND FTNG 90D G1/4IN NW7 IP68 BLK



| General Information | |
|-----------------------|--|
| Extended Product Type | BVWV-G00M |
| Product ID | 7TAA292150R0415 |
| EAN | 7630030228759 |
| Catalog Description | COND FTNG 90D G1/4IN NW7 IP68 BLK |
| Long Description | Black VW Connector 90 Degree Elbow, GAS Thread for IP68 - Thread 1/4 Inch, Fits to Conduit Size NW/Metric 7/10 |

| Additional Information | |
|------------------------|--|
| Application | For Cable Protection Systems In a Wide Range of Applications |
| Product Type | Fittings for Nylon Flexible Conduits |

| Ordering | |
|----------|---------------|
| EAN | 7630030228759 |
| UPC | 786209953704 |

| | |
|---------------------|---|
| Technical | |
| Number of Batteries | 0 |
| Color | Black |
| Material | High-Grade Specially Formulated Polyamide/Nylon 6 |
| Size | 1/4 Inch GAS |

| | |
|----------------------|---------------------------|
| Environmental | |
| WEEE Category | Product Not in WEEE Scope |

| | |
|--------------------------------|--------------|
| Container Information | |
| Package Level 1 Units | 100 EA |
| Package Level 1 Height | 0 mm 0 in |
| Package Level 1 Depth / Length | 0 mm 0 in |
| Package Level 1 Width | 0 mm 0 in |

| | |
|--------------------------------------|-----------------|
| Certificates and Declarations | |
| Data Sheet, Technical Information | BVWV-G00M |
| Instructions and Manuals | BVWV-G00M |
| Declaration of Conformity - CE | 9AKK107680A0674 |

| | |
|------------------------|---|
| Classifications | |
| ETIM 8 | EC001176 - Screw connection for corrugated plastic hose |
| UNSPSC | 39131717 |

| | |
|---|--|
| Categories | |
| Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems | |

