BVWV-M508 1/3



PRODUCT-DETAILS

BVWV-M508

COND FTNG 90D M50 NW48 IP68 CSA BLK



General Information	
Extended Product Type	BVWV-M508
Product ID	7TAA292150R0434
EAN	7630030228438
Catalog Description	COND FTNG 90D M50 NW48 IP68 CSA BLK
Long Description	PMAFIX 90 Degree Black One-Piece Universal Elbow , Material - Polyamide 6, Conduit Size NW - 48, Thread Size - M50x1.5

Additional Information		
Application	In a Wide Range of Applications Where It is Important that the Cable Protection System Offers a High Grade of Sealing and Safety	
Product Type	Flexible Conduits & Fittings	
Ordering		
EAN	763003022843	

UPC

786209953902

BVWV-M508 2/3

Technical	
Number of Batteries	0
Color	Black
Material	Polyamide/Nylon 6
Size	M50

Environmental WEEE Category Product Not in WEEE Scope

Container Information	
Package Level 1 Units	20 EA
Package Level 1 Height	200 mm
	7.874 in
Package Level 1 Depth /	399.999 mm
Length	15.748 in
Package Level 1 Width	299.999 mm
-	11.811 in

Certificates and Declarations	
Data Sheet, Technical Information	BVWV-M508
Instructions and Manuals	BVWV-M508
Declaration of Conformity - CE	9AKK107680A0674

Classifications	
ETIM 8	EC001176 - Screw connection for corrugated plastic hose
UNSPSC	39131717

Categories

 $Low\ Voltage\ Products\ and\ Systems\ \rightarrow\ Installation\ Products\ \rightarrow\ Cable\ Protection,\ Explosion\ Proof\ and\ Lighting\ \rightarrow\ Flexible\ Cable\ Protection\ Systems$

BVWV-M508 3/3

