



PRODUCT-DETAILS

CF-10S.50
CONDUIT PA6 NW10 GRY 50M



General Information	
Extended Product Type	CF-10S.50
Product ID	7TCA292000R1352
EAN	7630030226632
Catalog Description	CONDUIT PA6 NW10 GRY 50M
Long Description	Medium Wall, Very Flexible Conduit, Polyamide 6, Halogen Free, Conduit Size NW10, 20 Millimeter Bend Radius, Inside Diameter 9.6 Millimeter, Outside Dimater 13.0 Millimeter, 50 Meter Reel Length, Gray
Additional Information	
Application	Machine, Equipment, and Installation
Product Type	Medium Wall Conduit
Ordering	
EAN	7630030226632
UPC	786210165479

Dimensions	
Product Net Depth / Length	50 m

Technical	
Number of Batteries	0
Color	Gray
Material	Polyamide 6

Environmental	
WEEE Category	Product Not in WEEE Scope

Container Information	
Package Level 1 Units	50 m
Package Level 1 Height	130.048 mm 5.12 in
Package Level 1 Depth / Length	400.05 mm 15.75 in
Package Level 1 Width	400.05 mm 15.75 in

Certificates and Declarations	
Data Sheet, Technical Information	CF-10S.50
Instructions and Manuals	CF-10S.50
Declaration of Conformity - CE	9AKK107680A0674

Classifications	
ETIM 8	EC001175 - Corrugated plastic hose
UNSPSC	39131706

Categories	
Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems	



Product image
not available