



PRODUCT-DETAILS

CF-12S.50
CONDUIT PA6 NW12 GRY 50M



Product image
not available

General Information	
Extended Product Type	CF-12S.50
Product ID	7TCA292000R1356
EAN	7630030226595
Catalog Description	CONDUIT PA6 NW12 GRY 50M
Long Description	Medium Wall, Very Flexible Conduit, Polyamide 6, Halogen Free, Conduit Size NW12, 30 Millimeter Bend Radius, Inside Diameter 12.0 Millimeter, Outside Dimater 15.8 Millimeter, 50 Meter Reel Length, Gray

Additional Information	
Application	Machine, Equipment, and Installation
Product Type	Medium Wall Conduit

Ordering	
EAN	7630030226595
UPC	786210165516

Dimensions	
Product Net Depth / Length	50 m

Technical	
Number of Batteries	0
Color	Gray
Material	Polyamide 6

Environmental	
WEEE Category	Product Not in WEEE Scope

Container Information	
Package Level 1 Units	50 m
Package Level 1 Height	130.048 mm 5.12 in
Package Level 1 Depth / Length	480.06 mm 18.9 in
Package Level 1 Width	480.06 mm 18.9 in

Certificates and Declarations	
Data Sheet, Technical Information	CF-12S.50
Instructions and Manuals	CF-12S.50
Declaration of Conformity - CE	9AKK107680A0674

Classifications	
ETIM 8	EC001175 - Corrugated plastic hose
UNSPSC	39131706

Categories	
------------	--

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems



Product image
not available