



PRODUCT-DETAILS

CF-23S.50
CONDUIT PA6NW23 GRY 50M



General Information	
Extended Product Type	CF-23S.50
Product ID	7TCA292000R1366
EAN	7630030226496
Catalog Description	CONDUIT PA6NW23 GRY 50M
Long Description	Medium Wall, Very Flexible Conduit, Polyamide 6, Halogen Free, Conduit Size NW23, 40 Millimeter Bend Radius, Inside Diameter 22.2 Millimeter, Outside Diameter 28.5 Millimeter, 50 Meter Reel Length, Gray
Additional Information	
Application	Machine, Equipment, and Installation
Product Type	Medium Wall Conduit
Ordering	
EAN	7630030226496
UPC	786210165615

Dimensions	
Product Net Depth / Length	50 m

Technical	
Number of Batteries	0
Color	Gray
Material	Polyamide 6

Environmental	
WEEE Category	Product Not in WEEE Scope

Container Information	
Package Level 1 Units	50 m
Package Level 1 Height	230.124 mm 9.06 in
Package Level 1 Depth / Length	649.986 mm 25.59 in
Package Level 1 Width	649.986 mm 25.59 in

Certificates and Declarations	
Data Sheet, Technical Information	CF-23S.50
Instructions and Manuals	CF-23S.50
Declaration of Conformity - CE	9AKK107680A0674

Classifications	
ETIM 8	EC001175 - Corrugated plastic hose
UNSPSC	39131706

Categories	
Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems	



Product image
not available