CMP1500-0-BG 1/3



PRODUCT-DETAILS

CMP1500-0-BG SHRINK-KON 50M BLACK



General Information	
Extended Product Type	CMP1500-0-BG
Product ID	7TCA017300R0070
EAN	5414363102380
Catalog Description	SHRINK-KON 50M BLACK
Long Description	Heat Shrink Tubing, 38.0mm, Black, 50M per bag, Thin Wall, Shrink Ration 2:1, Material - CrossLinked Polyolefin, Item is Silicone, Cadmium and Lead Free

Ordering	
EAN	5414363102380
UPC	786210504223
Replacement Product ID (NEW)	7TAA017980R0036
Country of Origin	Germany (DE)
Selling Unit of Measure	roll

Di	m	ρr	١ci	1	n	4

Product Net Depth / 984.2 ft

CMP1500-0-BG 2/3

<u>Length</u> 300 m

Container Information	
Package Level 1 Units	1 reel
Package Level 1 Width	15.4 in 391 mm
Package Level 1 Height	3.8 in 97 mm
Package Level 1 Depth / Length	15.4 in 391 mm

Brand / Label	Shrink-Kon
Color	Black
Effective Date	19980621
Process Temperature Rating	-67 to +275 °F -55 to +135 °C
Product Name	PLASTIC CONDUIT
Product Type	Thin-Wall Heat Shrinkable Tubing
Shrink Ratio	2:1
Shrink Temperature	230 °F 110 °C
Thickness	Thin

Certificates and Declarations	
Data Sheet, Technical	CMP1500-0-BG
Information	

Classifications	
ETIM 6	EC000217 - Shrink tubing
ETIM 7	EC000217 - Shrink tubing
ETIM 8	EC000217 - Shrink tubing
UNSPSC	39121723
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5073 >> Heat shrinkable tube

Categories

CMP1500-0-BG 3/3

