CMS-121FH 1/3



PRODUCT-DETAILS

## CMS-121FH Sensor



General Information	
Extended Product Type	CMS-121FH
Product ID	2CCA880216R0001
EAN	7612271498597
Catalog Description	CMS-121FH Sensor
Long Description	CMS-121FH 18mm Open-Core Sensor up to 40A

Technical	
Frequency (f)	Rated Current 50 Hz
	atRatedLoad 0.18 W
Accuracy	1% FS
Measuring Range	0.140 A
Mounting Type	Surface Mounting
Sensor Type	Open-core (18 mm)
Output	Other

Material	Comp	lianca
watena	Como	nance

CMS-121FH 2/3

HS Status Following EU Directive 2002/95/EC August 18, 2005 and a		
RoHS Date	20170426	
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363	
Environmental		
Ambient Air Temperature	Operation -25 70 °C	
Environmental Information	2CCC481001D0202	
Dimensions		
Product Net Width	17.4 mm	
Product Net Height	38.9 mm	
Product Net Depth / Length	41 mm	
Product Net Weight	12 <u>q</u>	
Ordering		
Package Level 1 Units	box 1 piece	
nckage Level 1 Gross eight		
E-Number (Finland)	6719041	
Certificates and Declarations		
Declaration of Conformity - CE	2CCC481017D0201	
In the Heating		
Installation		
Instructions and Manuals	9AKK106930A5216	
Popular Downloads		
Data Sheet, Technical Information	2CCC481003C0201	
Classifications		
ETIM 8	EC002475 - Current value transformer	
ETIM 8 ETIM 9	EC002475 - Current value transformer	
ETIM 8 ETIM 9 WEEE Category	EC002475 - Current value transformer 5. Small Equipment (No External Dimension More Than 50 cm)	
ETIM 8 ETIM 9 WEEE Category WEEE B2C / B2B	EC002475 - Current value transformer 5. Small Equipment (No External Dimension More Than 50 cm) Business To Consumer	
ETIM 8 ETIM 9 WEEE Category	EC002475 - Current value transformer 5. Small Equipment (No External Dimension More Than 50 cm)	

CMS-121FH 3/3

## Categories

 $Low\ Voltage\ Products\ and\ Systems\ \rightarrow\ Modular\ DIN\ Rail\ Products\ \rightarrow\ Energy\ Efficiency\ Devices\ \rightarrow\ Circuit\ Monitoring\ Systems$ 





