



PRODUCT-DETAILS

CMS-122DR

CMS-122DR Sensor



General Information	
Extended Product Type	CMS-122DR
Product ID	2CCA880242R0001
EAN	7612271453114
Catalog Description	CMS-122DR Sensor
Long Description	CMS-122DR 18mm Open-Core Sensor up to 20A

Technical	
Frequency (f)	Rated Current 50 Hz atRatedLoad 0.18 W
Accuracy	1% FS
Measuring Range	0.1...20 A
Mounting Type	DIN-Rail
Sensor Type	Open-core (18 mm)
Output	Other

Material Compliance	
RoHS Information	2CCC413008D0206
RoHS Status	Following EU Directive 2002/95/EC August 18, 2005 and amendment
RoHS Date	20170426
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Environmental	
Ambient Air Temperature	Operation -25 ... 70 °C
Environmental Information	2CCC481001D0202

Dimensions	
Product Net Width	17.4 mm
Product Net Height	44 mm
Product Net Depth / Length	51.5 mm
Product Net Weight	15 g

Ordering	
Package Level 1 Units	box 1 piece
Package Level 1 Gross Weight	83 g
E-Number (Finland)	6719045
E-Number (Switzerland)	981914103

Certificates and Declarations	
Declaration of Conformity - CE	2CCC481017D0201

Installation	
Instructions and Manuals	9AKK106930A5216

Popular Downloads	
Data Sheet, Technical Information	2CCC481003C0201

Classifications	
ETIM 8	EC002475 - Current value transformer
ETIM 9	EC002475 - Current value transformer
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

WEEE B2C / B2B	Business To Consumer
CN8	90303900
UNSPSC	41111928
eClass	V11.0 : 27210123
IDEA Granular Category Code (IGCC)	6160 >> Current sensors
Object Classification Code	P

Categories

Low Voltage Products and Systems → Modular DIN Rail Products → Energy Efficiency Devices → Circuit Monitoring Systems

