CPS12B-50 1/3



PRODUCT-DETAILS

CPS12B-50 BRAIDED SLEEVE BLK PLYE 12 DIA 50M



Extended Product Type	CPS12B-5
Product ID	7TCG054800R001
EAN	541436310324
Catalog Description	BRAIDED SLEEVE BLK PLYE 12 DIA 50N
Long Description	Non-Flame Retardant Braided Sleeve, Black Polyester for Temperatures up to 150 Celsius (302 F), Nominal Diameter 12mm (0.472 Inches), Expandable Diameter Range 8mm (0.315 Inches) to 17mm (0.669 Inches), Mini-Reel Length 50m (164.04 Feet
Ordering	
Ordering	
<u> </u>	541436310324
EAN	541436310324 78621058927:
EAN UPC	
Ordering EAN UPC Country of Origin Selling Unit of Measure	78621058927
EAN UPC Country of Origin	78621058927 France (FR
EAN UPC Country of Origin	78621058927 France (FR

CPS12B-50 2/3

Container Information	
Package Level 1 Units	1 reel
Package Level 2 Units	5 reel
Package Level 2 Width	14.96 in 380 mm
Package Level 2 Height	14.2 in 361 mm
Package Level 2 Depth / Length	30.3 in 770 mm

Additional Information	
Brand / Label	Catamount
Bundle Diameter	0.04 to 2.6 in 1 to 66 mm
Color	Black
Effective Date	19980621
Material	Polyester
Product Name	OTHER ARTICLES OF YARN
Product Type	Braided Sleeve
Temperature Range	-58 to 302 °F -50 to 150 °C

Certificates and Declarations		
Data Sheet, Technical	CPS12B-50	
Information		

Classifications	
ETIM 6	EC001937 - Cable protection for installation duct
ETIM 7	EC001937 - Cable protection for installation duct
ETIM 8	EC001937 - Cable protection for installation duct
UNSPSC	39131602
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5392 >> Expandable braided sleeving

Categories

 $Low\ Voltage\ Products\ and\ Systems\ \rightarrow\ Installation\ Products\ \rightarrow\ Wire\ Management\ and\ Connectivity\ \rightarrow\ Cable\ Ties$

CPS12B-50 3/3

