CPS15G-50 1/3



PRODUCT-DETAILS

CPS15G-50

BRAIDED SLEEVE GRY PLYE 15 DIA 50M



General Information		
Extended Product Type	CPS15G-50	
Product ID	7TCG054800R0028	
EAN	5414363103301	
Catalog Description	BRAIDED SLEEVE GRY PLYE 15 DIA 50M	
Long Description	Non-Flame Retardant Braided Sleeve, Gray Polyester for Temperatures up to 150 Celsius (302 F), Nominal Diameter 15mm (0.590 Inches), Expandable Diameter Range 10mm (0.394 Inches) to 20mm (0.787 Inches), Mini-Reel Length 50m (164.04 Feet)	

Ordering	
EAN	5414363103301
UPC	786210519333
Country of Origin	France (FR)
Selling Unit of Measure	roll

Dimensions

CPS15G-50 2/3

Length 50 m

Container Information	
Package Level 1 Units	1 reel
Package Level 2 Units	5 reel
Package Level 2 Width	6.8 in 173 mm
Package Level 2 Height	4.1 in 104 mm
Package Level 2 Depth / Length	6.9 in 175 mm

Additional Information	
Brand / Label	Catamount
Bundle Diameter	0.04 to 2.6 in 1 to 66 mm
Color	Gray
Effective Date	19980621
Material	Polyester
Product Name	OTHER ARTICLES OF YARN
Product Type	Braided Sleeve
Temperature Range	-58 to 302 °F -50 to 150 °C

Certificates and Declarations	
Data Sheet, Technical	CPS15G-50
Information	

Classifications		
ETIM 6	EC001937 - Cable protection for installation duct	
ETIM 7	EC001937 - Cable protection for installation duct	
ETIM 8	EC001937 - Cable protection for installation duct	
UNSPSC	39131602	
WEEE Category	Product Not in WEEE Scope	
IDEA Granular Category Code (IGCC)	5392 >> Expandable braided sleeving	

CPS15G-50 3/3

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Products \rightarrow Wire\ Management\ and\ Connectivity \rightarrow Cable\ Ties$

