



PRODUCT-DETAILS

CPS20G-25

BRAIDED SLEEVE GRY PLYE 20 DIA 25M



General Information	
Extended Product Type	CPS20G-25
Product ID	7TCG054800R0038
EAN	5414363103349
Catalog Description	BRAIDED SLEEVE GRY PLYE 20 DIA 25M
Long Description	Non-Flame Retardant Braided Sleeve, Gray Polyester for Temperatures up to 150 Celsius (302 F), Nominal Diameter 20mm (0.787 Inches), Expandable Diameter Range 14mm (0.551 Inches) to 26mm (1.02 Inches), Mini-Reel Length 25m (82.02 Feet)

Ordering	
EAN	5414363103349
UPC	786210529998
Country of Origin	France (FR)
Selling Unit of Measure	roll

Dimensions	
Product Net Depth /	82.02 ft

Length25 m

Container Information

Package Level 1 Units	1 reel
Package Level 2 Units	5 reel

Additional Information

Brand / Label	Catamount
Bundle Diameter	0.04 to 2.6 in 1 to 66 mm
Color	Gray
Effective Date	19980621
Material	Polyester
Product Name	OTHER ARTICLES OF YARN
Product Type	Braided Sleeve
Temperature Range	-58 to 302 °F -50 to 150 °C

Certificates and Declarations

Data Sheet, Technical Information	CPS20G-25
-----------------------------------	-----------

Classifications

ETIM 6	EC001937 - Cable protection for installation duct
ETIM 7	EC001937 - Cable protection for installation duct
ETIM 8	EC001937 - Cable protection for installation duct
UNSPSC	39131602
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5392 >> Expandable braided sleeving

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

