CPS25W-25-FR-EU 1/3



PRODUCT-DETAILS

## CPS25W-25-FR-EU BIND-IT FLAME RET DIA 25, 25M



General Information	
Extended Product Type	CPS25W-25-FR-EU
Product ID	7TCG054800R0050
EAN	5414363609766
Catalog Description	BIND-IT FLAME RET DIA 25, 25M
Long Description	Wrap-Around Flame-Retardant Woven Cable Sleeve, Black Polyester for Temperatures from -50 Degrees Celsius (-58 F) up to 125 Degree Celsius (257 F), Nominal Diameter Size 25mm (0.984 Inches), Mini-Reel Length 25m (82.02 Feet)
Ordering	
Ordering	
EAN	5414363609766
UPC	786209939227
Country of Origin	France (FR)
Selling Unit of Measure	each
Dimensions	
Product Net Depth / Length	82.02 ft 25 m

CPS25W-25-FR-EU 2/3

Package Level 1 Units	1 piece
Package Level 1 Width	14.57 ir 370 mm
Package Level 1 Height	0.63 ir 16 mm
Package Level 1 Depth / Length	14.57 ir 370 mm
Package Level 2 Units	2 piece
Package Level 2 Width	14.96 ir 380 mm
Package Level 2 Height	14.96 ir 380 mm
Package Level 2 Depth / Length	14.96 ir 380 mm

Additional Information	
Brand / Label	Catamount
Bundle Diameter	0.04 to 2.6 in 1 to 66 mm
Color	Black
Effective Date	20100324
Material	Polyester
Product Name	OTHER ARTICLES OF YARN
Product Type	Braided Sleeve
Temperature Range	-58 to 302 °F -50 to 150 °C

Certificates and Declarations	
Data Sheet, Technical	CPS25W-25-FR-EU
Information	

Classifications	
ETIM 6	EC001937 - Cable protection for installation duct
ETIM 7	EC001937 - Cable protection for installation duct
ETIM 8	EC001937 - Cable protection for installation duct
UNSPSC	39131602
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5392 >> Expandable braided sleeving

CPS25W-25-FR-EU 3/3

## Categories

 $Low\ Voltage\ Products\ and\ Systems\ \rightarrow\ Installation\ Products\ \rightarrow\ Wire\ Management\ and\ Connectivity\ \rightarrow\ Cable\ Ties$ 

