CPS30B-25 1/3



PRODUCT-DETAILS

CPS30B-25 BRAIDED SLEEVE BLK PLYE 30 DIA 25M



Extended Product Type	CPS30B-2
Product ID	7TCG054800R005
EAN	541436310339
Catalog Description	BRAIDED SLEEVE BLK PLYE 30 DIA 25N
Long Description	Non-Flame Retardant Braided Sleeve, Black Polyester for Temperatures up to 150 Celsius (302 F), Nominal Diameter 30mm (1.18 Inches), Expandable Diameter Range 20mm (0.787 Inches) to 40mm (1.57 Inches), Mini-Reel Length 25m (82.02 Fee
Ordering	
EAN	541436310339
EAN UPC	78621063275
Ordering EAN UPC Country of Origin Selling Unit of Measure	
EAN UPC Country of Origin	78621063275 France (FR
EAN UPC Country of Origin	78621063275 France (FF

CPS30B-25 2/3

Container Information	
Package Level 1 Units	1 reel
Package Level 2 Units	5 reel

Additional Information	
Brand / Label	Catamount
Bundle Diameter	0.04 to 2.6 in 1 to 66 mm
Color	Black
Effective Date	19980621
Material	Polyester
Product Name	OTHER ARTICLES OF YARN
Product Type	Braided Sleeve
Temperature Range	-58 to 302 °F -50 to 150 °C

Certificates and Declarations	
Data Sheet, Technical	CPS30B-25
Information	

Classifications	
ETIM 6	EC001937 - Cable protection for installation duct
ETIM 7	EC001937 - Cable protection for installation duct
ETIM 8	EC001937 - Cable protection for installation duct
UNSPSC	39131602
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5392 >> Expandable braided sleeving

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Products \rightarrow Wire\ Management\ and\ Connectivity \rightarrow Cable\ Ties$

CPS30B-25 3/3

