



PRODUCT-DETAILS

CPS40B-25
BRAIDED SLEEVE BLK PLYE 40 DIA 25M



General Information	
Extended Product Type	CPS40B-25
Product ID	7TCG054800R0076
EAN	5414363103479
Catalog Description	BRAIDED SLEEVE BLK PLYE 40 DIA 25M
Long Description	Non-Flame Retardant Braided Sleeve, Black Polyester for Temperatures up to 150 Celsius (302 F), Nominal Diameter 40mm (1.57 Inches), Expandable Diameter Range 30mm (1.18 Inches) to 50mm (1.97 Inches), Mini-Reel Length 25m (82.02 Feet)

Ordering	
EAN	5414363103479
UPC	786210565859
Country of Origin	France (FR)
Selling Unit of Measure	roll

Dimensions	
Product Net Depth /	82.02 ft

Length	25 m
--------	------

Container Information

Package Level 1 Units	1 reel
Package Level 2 Units	5 reel
Package Level 2 Width	7.3 in 185 mm
Package Level 2 Height	3.9 in 99 mm
Package Level 2 Depth / Length	7.6 in 193 mm

Additional Information

Brand / Label	Catamount
Bundle Diameter	0.04 to 2.6 in 1 to 66 mm
Color	Black
Effective Date	19980621
Material	Polyester
Product Name	Plastic conduit
Product Type	Braided Sleeve
Temperature Range	-58 to 302 °F -50 to 150 °C

Certificates and Declarations

Data Sheet, Technical Information	CPS40B-25
-----------------------------------	-----------

Classifications

ETIM 6	EC001937 - Cable protection for installation duct
ETIM 7	EC001937 - Cable protection for installation duct
ETIM 8	EC001937 - Cable protection for installation duct
UNSPSC	39131602
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5392 >> Expandable braided sleeving

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

