CPS4G-100 1/3



PRODUCT-DETAILS

CPS4G-100 BRAIDED SLEEVE GRY PLYE 4 DIA 100M



Extended Product Type	CPS4G-10
Product ID	7TCG054800R008
EAN	541436310352
Catalog Description	BRAIDED SLEEVE GRY PLYE 4 DIA 100I
Long Description	Non-Flame Retardant Braided Sleeve, Gray Polyester for Temperatures up to 150 Celsius (302 F), Nominal Diameter 4mm (0.157 Inches), Expandable Diameter Range 2mm (0.075 Inches) to 7mm (0.275 Inches), Mini-Reel Length 100m (328.08 Fee
Ordering	
EAN	541436310352
EAN UPC	78621057692
EAN UPC Country of Origin	78621057692 France (FF
EAN UPC Country of Origin	78621057692 France (FF
EAN UPC Country of Origin Selling Unit of Measure	78621057692
EAN UPC Country of Origin	78621057692 France (FF

CPS4G-100 2/3

Container Information	
Package Level 1 Units	1 reel
Package Level 2 Units	5 reel

Brand / Label	Catamount
Bundle Diameter	0.04 to 2.6 in 1 to 66 mm
Color	Gray
Effective Date	19980621
Material	Polyester
Product Name	Plastic conduit
Product Type	Braided Sleeve
Temperature Range	-58 to 302 °F -50 to 150 °C

Certificates and Declarations	
Data Sheet, Technical	CPS4G-100
Information	

Classifications	
ETIM 6	EC001937 - Cable protection for installation duct
ETIM 7	EC001937 - Cable protection for installation duct
ETIM 8	EC001937 - Cable protection for installation duct
UNSPSC	39131602
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5392 >> Expandable braided sleeving

Categories

 $Low\ Voltage\ Products\ \rightarrow\ Unstallation\ Products\ \rightarrow\ Wire\ Management\ and\ Connectivity\ \rightarrow\ Cable\ Ties$

CPS4G-100 3/3

