CPS50B-25 1/3



PRODUCT-DETAILS

CPS50B-25

BRAIDED SLEEVE BLK PLYE 50 DIA 25M



General Information		
Extended Product Type	CPS50B-25	
Product ID	7TCG054800R0086	
EAN	5414363103530	
Catalog Description	BRAIDED SLEEVE BLK PLYE 50 DIA 25M	
Long Description	Non-Flame Retardant Braided Sleeve, Black Polyester for Temperatures up to 150 Celsius (302 F), Nominal Diameter 50mm (1.97 Inches), Expandable Diameter Range 40mm (1.57 Inches) to 66mm (2.60 Inches), Mini-Reel Length 25m (82.02 Feet)	

Ordering	
EAN	5414363103530
UPC	786210549286
Country of Origin	France (FR)
Selling Unit of Measure	roll

Dimensions

CPS50B-25 2/3

Container Information	
Package Level 1 Units	1 reel
Package Level 2 Units	5 reel

Additional Information	
Brand / Label	Catamount
Bundle Diameter	0.04 to 2.6 in 1 to 66 mm
Color	Black
Effective Date	19980621
Material	Polyester
Product Name	OTHER ARTICLES OF YARN
Product Type	Braided Sleeve
Temperature Range	-58 to 302 °F -50 to 150 °C

Certificates and Declarations	
Data Sheet, Technical	CPS50B-25
Information	

Classifications	
ETIM 6	EC001937 - Cable protection for installation duct
ETIM 7	EC001937 - Cable protection for installation duct
ETIM 8	EC001937 - Cable protection for installation duct
UNSPSC	39131602
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5392 >> Expandable braided sleeving

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Products \rightarrow Wire\ Management\ and\ Connectivity \rightarrow Cable\ Ties$

CPS50B-25 3/3

