



PRODUCT-DETAILS

CPS50B-50-CV0

BRD SLEEV CONFORMED V0 50M BLK



General Information	
Extended Product Type	CPS50B-50-CV0
Product ID	7TCG054800R0087
EAN	5414363149750
Catalog Description	BRD SLEEV CONFORMED V0 50M BLK
Long Description	Flame Retardant Braided Sleeve, Black Polyester for Temperatures -50 Degrees Celsius (-58 F) up to 150 Celsius (302 F), Nominal Diameter 50mm (1.97 Inches), Expandable Diameter Range 45mm (1.77 Inches) to 50mm (2.36 Inches), Mini-Reel Length 50m (164.04 Feet)

Ordering	
EAN	5414363149750
UPC	786210927251
Country of Origin	France (FR)
Selling Unit of Measure	roll

Dimensions	
Product Net Depth / Length	164.04 ft 50 m

Container Information	
Package Level 1 Units	1 reel
Package Level 2 Units	5 reel
Package Level 2 Width	19.96 in 507 mm
Package Level 2 Height	14.56 in 370 mm
Package Level 2 Depth / Length	29.92 in 760 mm

Additional Information	
Brand / Label	Catamount
Bundle Diameter	0.04 to 2.6 in 1 to 66 mm
Color	Black
Effective Date	20040217
Material	Polyester
Product Name	OTHER ARTICLES OF YARN
Product Type	Braided Sleeve
Temperature Range	-58 to 302 °F -50 to 150 °C

Certificates and Declarations	
Data Sheet, Technical Information	CPS50B-50-CV0

Classifications	
ETIM 6	EC001937 - Cable protection for installation duct
ETIM 7	EC001937 - Cable protection for installation duct
ETIM 8	EC001937 - Cable protection for installation duct
UNSPSC	39131602
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5392 >> Expandable braided sleeving

Categories	
Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties	

