



PRODUCT-DETAILS

CPS5G-100
BRAIDED SLEEVE GRY PLYE 5 DIA 100M



General Information	
Extended Product Type	CPS5G-100
Product ID	7TCG054800R0096
EAN	5414363103585
Catalog Description	BRAIDED SLEEVE GRY PLYE 5 DIA 100M
Long Description	Non-Flame Retardant Braided Sleeve, Gray Polyester for Temperatures up to 150 Celsius (302 F), Nominal Diameter 5mm (0.197 Inches), Expandable Diameter Range 3mm (0.118 Inches) to 9mm (0.354 Inches), Mini-Reel Length 100m (328.08 Feet)
Ordering	
EAN	5414363103585
UPC	786210565514
Country of Origin	France (FR)
Selling Unit of Measure	roll
Dimensions	
Product Net Depth / Length	328.08 ft 100 m

Container Information	
Package Level 1 Units	1 reel
Package Level 2 Units	5 reel
Package Level 2 Width	8.3 in 211 mm
Package Level 2 Height	8.2 in 208 mm
Package Level 2 Depth / Length	10.2 in 259 mm

Additional Information	
Brand / Label	Catamount
Bundle Diameter	0.04 to 2.6 in 1 to 66 mm
Color	Gray
Effective Date	19980621
Material	Polyester
Product Name	Plastic conduit
Product Type	Braided Sleeve
Temperature Range	-58 to 302 °F -50 to 150 °C

Certificates and Declarations	
Data Sheet, Technical Information	CPS5G-100

Classifications	
ETIM 6	EC001937 - Cable protection for installation duct
ETIM 7	EC001937 - Cable protection for installation duct
ETIM 8	EC001937 - Cable protection for installation duct
UNSPSC	39131602
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5392 >> Expandable braided sleeving

Categories	
Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties	

