



PRODUCT-DETAILS

## CPS8G-100 **BRAIDED SLEEVE GRY PLYE 8 DIA 100M**



General Information		
Extended Product Type		CPS8G-100
Product ID		7TCG054800R0107
EAN		5414363103646
Catalog Description	BRAIDED	SLEEVE GRY PLYE 8 DIA 100M
Long Description	Non-Flame Retardant Braided Sleeve, Gray Polyester for (302 F), Nominal Diameter 8mm (0.315 Inches), Expandal Inches) to 12mm (0.472 Inches), Mini-	ble Diameter Range 5mm (0.197
Ordering		
EAN		5414363103646
UPC		786210617145
Country of Origin		France (FR)
Selling Unit of Measure		roll
Dimensions		
Product Net Depth / Length		328.08 ft 100 m
© 2024 ABB. All rights reserved.	2024/04/12	Subject to change

Subject to change without notice

Container Information	
Package Level 1 Units	1 reel
Package Level 2 Units	5 reel
Package Level 2 Width	7.5 in 191 mm
Package Level 2 Height	4.3 in 109 mm
Package Level 2 Depth / Length	7.5 in 191 mm

Additional	Information
Auditional	momation

Brand / Label	Catamount
Bundle Diameter	0.04 to 2.6 in 1 to 66 mm
Color	Gray
Effective Date	19980621
Material	Polyester
Product Name	CATAMOUNT FASTENING PRODUCTS
Product Type	Braided Sleeve
Temperature Range	-58 to 302 °F -50 to 150 °C

Certificates and Declarations	
Data Sheet, Technical Information	CPS8G-100

Classifications		
ETIM 6	EC001937 - Cable protection for installation duct	
ETIM 7	EC001937 - Cable protection for installation duct	
ETIM 8	EC001937 - Cable protection for installation duct	
UNSPSC	39131602	
WEEE Category	Product Not in WEEE Scope	
IDEA Granular Category Code (IGCC)	5392 >> Expandable braided sleeving	

Categories

Low Voltage Products and Systems  $\rightarrow$  Installation Products  $\rightarrow$  Wire Management and Connectivity  $\rightarrow$  Cable Ties

