




PRODUCT-DETAILS

# CR-M4LP

## CR-M4LP Push-in socket for 4c/o CR-M relay



General Information	
Extended Product Type	CR-M4LP
Product ID	1SVR405651R6110
EAN	4053546062151
Catalog Description	CR-M4LP Push-in socket for 4c/o CR-M relay
Long Description	The CR-M4LP socket is from the CR-M (miniature) relay range. The logical socket is suitable for CR-M relays with 4 c/o (SPDT) output contacts. The socket has push-in connection terminals. Pluggable function modules, holder and marker are available as accessories.

Ordering	
EAN	4053546062151
Minimum Order Quantity	10 piece
Customs Tariff Number	85366990

Popular Downloads	
Data Sheet, Technical Information	2CDC110004C0210_05
Instructions and Manuals	1SVC405650M9040

Dimensions

Product Net Width	30.6 mm
Product Net Height	42.5 mm
Product Net Depth / Length	98.4 mm
Product Net Weight	0.065 kg

Technical

Function	Accessory for interface relays CR-M
Sub-Function	Socket for miniature relays
Sub-Function 2	Logical socket for miniature relay 2 c/o or 4 c/o
Rated Operational Voltage	250 V
Output Signal	250 V / 6 A
Terminal Type	Push-in Spring Terminals
Rated Insulation Voltage (U <sub>i</sub> )	2000 V
Wire Stripping Length	10 mm
Recommended Screw Driver	2.5
Mounting Position	1
Standards	CAN/CSA C22.2 No.14 IEC/EN 63000 IEC/EN 61984 UL 508

Technical UL/CSA

Connecting Capacity Main Circuit UL/CSA	Flexible with Ferrule 2x 20-17 AWG Rigid 2x 20-16 AWG Stranded 2 x 20-16 AWG
Flammability According to UL94	V-0

Environmental

Ambient Air Temperature	Operation -40 ... +70 °C Storage -40 ... +70 °C
Maximum Operating Altitude Permissible	2000 m

Material Compliance

RoHS Information	1SVD982020-0001
RoHS Status	Following EU Directive 2011/65/EU

Circular Value

Environmental Information	1SAC200048H0009
---------------------------	-----------------

Certificates and Declarations

CSA Certificate	CSA_262671_2785566
cURus Certificate	cURus508_E244328
Declaration of Conformity - CE	1SVD982020-0001
Declaration of Conformity - UKCA	1SVD982020-1000

Container Information

Package Level 1 Units	10 piece
Package Level 1 Width	104 mm
Package Level 1 Depth / Length	162 mm
Package Level 1 Height	87 mm
Package Level 1 Gross Weight	0.704 kg
Package Level 1 EAN	4053546062168

Classifications

Object Classification Code	K
ETIM 7	EC001456 - Relay socket
ETIM 8	EC001456 - Relay socket
ETIM 9	EC001456 - Relay socket
eClass	V11.0 : 27371603
UNSPSC	39122335

Categories

Low Voltage Products and Systems → Control Products → Electronic Relays and Controls → Interface Relays and Optocouplers

