CR-S024VDC1TRI 1/3



PRODUCT-DETAILS

CR-S024VDC1TRI CR-S024VDC1TRI Pluggable optocoupler Input= 24 V DC, Output= 2 A/240 V AC



General Information		
Extended Product Type	CR-S024VDC1TRI	
Product ID	1SVR405510R3070	
EAN	4013614486630	
Catalog Description	CR-S024VDC1TRI Pluggable optocoupler Input= 24 V DC, Output= 2 A/240 V AC	
Long Description	The CR-S024VDC1TRI slim pluggable optcoupler with Triac output is suitable for direct mounting on a printed circuit board or use in conjunction with ABB's CR-S sockets. This relay operates with a 240 V AC rated control supply voltage and has a maximum switching voltage of 275 V AC and maximum switching current of 2 A. Coupled with a socket, the compact size of this relay offers possibilities to save space within a control panel. CR-S screw and spring sockets, separator, jumper bars and marker are available as accessories.	

Ordering	
EAN	4013614486630
Minimum Order Quantity	10 piece
Customs Tariff Number	85369095

Pol	nular	Down	loads

Data Sheet, Technical 2CDC110004C0210_05

CR-S024VDC1TRI 2/3

Information	
CAD Dimensional Drawing	2CDC001079B0201
Diawiig	
Dimensions	
Product Net Width	15 mm
Product Net Height	5 mm
Product Net Depth /	28 mm
Length Product Net Weight	0.004 kg
Floudet Net Weight	0.00 4 Ng
Technical	
Function	Pluggable slim optocoupler CR-S
Rated Control Supply Voltage (U _s)	24 V DC
Output	TRIAC
Output Signal	240VAC / 2A
Degree of Protection	IP00
Standards	IEC/EN 61000-6-2 IEC/EN 61000-6-3
Material Compliance	
Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
RoHS Information	1SVD981001-4400
RoHS Status	Following EU Directive 2011/65/EU
Certificates and Declarations	
cUR Certificate	cUR_E244330
Declaration of Conformity - CE	1SVD982057-0000
EAC Certificate	EAC_RU_C-DE.ME77.B.00443-19
UR Certificate	UR E244330
Container Information	
Package Level 1 Units	box 10 piece
Package Level 1 Width Package Level 1 Depth /	23.7 mm 7.4 mm
Length	
Package Level 1 Height	300 mm
Package Level 1 Gross Weight	0.05 kg
Package Level 1 EAN	4013614509216
Classifications	
ETIM 7	EC001504 - Optocoupler
ETIM 8	EC001504 - Optocoupler
ETIM 9	EC001504 - Optocoupler
eClass UNSPSC	V11.0 : 27371604 32111705
ONO! OC	32111/05

CR-S024VDC1TRI 3/3

Categories

 $Low\ Voltage\ Products\ and\ Systems\ \rightarrow\ Control\ Products\ \rightarrow\ Electronic\ Relays\ and\ Controls\ \rightarrow\ Interface\ Relays\ and\ Optocouplers$

