



PRODUCT-DETAILS

CR-SJB20-RED

CR-SJB20-RED Jumper bar 20-pole, red



General Information	
Extended Product Type	CR-SJB20-RED
Product ID	1SVR405598R0800
EAN	4013614499418
Catalog Description	CR-SJB20-RED Jumper bar 20-pole, red
Long Description	The CR-SJB20-RED jumper bar is from the CR-S range. It is suitable for all CR-S sockets . This jumper bar is used to connect upto 20 CR-S with screw and spring terminals.

Ordering	
EAN	4013614499418
Minimum Order Quantity	10 piece
Customs Tariff Number	85369010

Popular Downloads	
Data Sheet, Technical Information	2CDC110004C0210_05

Instructions and Manuals	2CDC117022D0201
CAD Dimensional Drawing	2CDC001079B0201

Dimensions

Product Net Width	123.2 mm
Product Net Height	16.7 mm
Product Net Depth / Length	2.8 mm
Product Net Weight	0.008 kg

Technical

Function	Accessory for interface relays CR-S
Sub-Function	Jumper bar
Sub-Function 2	20 poles red color
Standards	IEC/EN 63000 IEC/EN 61984

Material Compliance

Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
RoHS Information	1SVD982017-0001
RoHS Status	Following EU Directive 2011/65/EU

Circular Value

Environmental Information	1SAA981009-2403
---------------------------	-----------------

Certificates and Declarations

Declaration of Conformity - CE	1SVD982017-0001
Declaration of Conformity - UKCA	1SVD982017-1000
EAC Certificate	EAC_RU_C-DE.ME77.B.00443-19

Container Information

Package Level 1 Units	bag 10 piece
Package Level 1 Width	160 mm
Package Level 1 Depth / Length	86 mm
Package Level 1 Height	68 mm
Package Level 1 Gross Weight	0.132 kg
Package Level 1 EAN	4013614486814

Classifications

Object Classification Code	W
ETIM 7	EC002586 - Accessories for switching relay
ETIM 8	EC002586 - Accessories/spare parts for switching relay
ETIM 9	EC002586 - Accessories/spare parts for switching relay
eClass	V11.0 : 27371692
UNSPSC	39121426
E-Number (Finland)	2712386
E-Number (Sweden)	4001413

Categories

Low Voltage Products and Systems → Control Products → Electronic Relays and Controls → Interface Relays and Optocouplers

