



 PRODUCT-DETAILS

DMS132-G

DMS132-G Door Mounting Kit, GY/BK, IP65 Standard version, 3 times lockable



General Information

Extended Product Type	DMS132-G
Product ID	1SAM201912R1010
EAN	4013614421648
Catalog Description	DMS132-G Door Mounting Kit, GY/BK, IP65 Standard version, 3 times lockable
Long Description	DMS132-G door mounting kit is suitable for manual motor starter MS116/MS132. The combination of manual motor starter and door mounting kit allows to setup all required control and protection functions for single machine installations. The door mounting kit has a IP65 degree of protection and can be easily integrated in cubicals and machines. Additional mounting of auxiliary and signalling contacts, shunt trips and undervoltage release is possible. The handle is 3-times lockable in OFF position.

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

Popular Downloads

Data Sheet, Technical Information	1SBC100173C0201
-----------------------------------	-----------------

Instructions and Manuals	2CDC131029M6804
CAD Dimensional Drawing	2CDC001079B0201
Dimension Diagram	1SAM200440F0001

Dimensions

Product Net Width	137 mm
Product Net Height	121 mm
Product Net Depth / Length	120 mm
Product Net Weight	0.17 kg

Technical

Contact Position Indication	ON / OFF / TRIP
Actuator Type	Rotary Handle
Color	grey / black
Degree of Protection	IP65
Standards	CSA 22.2 No. 14 IEC/EN 60947-1 IEC/EN 60947-4-1 UL 508
Product Name	Door Mounting Kit
Suitable For	MS116 MS132
Suitable for Product Class	Manual Motor Starter
Accessory Group	Mechanical
Accessory Type	Door Mounting Kit
Remarks	For detailed specification see installation instruction

Technical UL/CSA

Enclosure Type UL/CSA	12
-----------------------	----

Environmental

Ambient Air Temperature	Operation -25 ... +70 °C Storage -50 ... +80 °C
-------------------------	----------------------------------------------------

Material Compliance

Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
REACH Declaration	1SAA963005-4502
RoHS Information	1SAA963006-4502
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Toxic Substances Control Act - TSCA	2CMT2023-006539
WEEE Category	Product Not in WEEE Scope

Certificates and Declarations

cUL Certificate	cUL_E137861
-----------------	-------------

Declaration of Conformity - CE	1SAD101100-3411
Declaration of Conformity - UKCA	1SAD201100-3411
UL Certificate	UL E137861

Container Information

Package Level 1 Width	129 mm
Package Level 1 Depth / Length	129 mm
Package Level 1 Height	141 mm
Package Level 1 Gross Weight	0.265 kg
Package Level 1 EAN	4013614421648
Package Level 1 Units	box 1 piece

Classifications

ETIM 4	EC002498 - Accessories for low-voltage switch technology
ETIM 5	EC002498 - Accessories for low-voltage switch technology
ETIM 6	EC002498 - Accessories for low-voltage switch technology
ETIM 7	EC002498 - Accessories for low-voltage switch technology
ETIM 8	EC002498 - Accessories/spare parts for low-voltage switch technology
eClass	V11.0 : 27371392
UNSPSC	31162313
IDEA Granular Category Code (IGCC)	2988 >> Mounting kits
E-Number (Finland)	3705863

Categories

Low Voltage Products and Systems → Circuit Breakers → Manual Motor Starters
 Low Voltage Products and Systems → Control Products → Manual Motor Starters → Manual Motor Starters

