



PRODUCT-DETAILS

DY365 4CE

DY365 4CE Digital Time switch



General Information	
Extended Product Type	DY365 4CE
Product ID	2CSM221181R1000
EAN	8012542211815
Catalog Description	DY365 4CE Digital Time switch
Long Description	4 channel extension to be used with DY365

Technical	
Standards	EN 60730-2-7 EN-301 489-1 EN-301 489-3 EN-301 489-17 EN-301 489-19 EN-300 328 EN-62479 EN-60950-1 EN 50581
Function	Channel extension
Rated Operational Voltage	12 / 24 V

Supply Voltage	12 / 24 V
Maximum Switching Current	16 A
Rated Frequency (f)	50 ... 60 Hz
Power Loss	1 W
Power Supply	12 V AC 24 V DC
Number of Channels	4
Tightening Torque	0.5 N·m
Contact Type	Normally Open (NO)
Meter Type	Digital
Mounting Type	DIN-Rail

Material Compliance

RoHS Information	2CSC441019D2701
RoHS Status	Following EU Directive 2011/65/EU
RoHS Date	20211115
REACH Declaration	9AKK108467A9482
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Environmental

Ambient Air Temperature	Operation 0 ... +50 °C Storage -25 ... +70 °C
Degree of Protection	Housing IP20

Dimensions

Product Net Width	72 mm
Product Net Height	65 mm
Product Net Depth / Length	87 mm
Product Net Weight	0.486 kg

Ordering

Package Level 1 Units	box 1 piece
Package Level 1 Gross Weight	0.622 kg
E-Number (Sweden)	1330658

Certificates and Declarations

Declaration of Conformity - CE	2CSC441019D2701
--------------------------------	-----------------

Installation

Instructions and Manuals	2CSM441048D0201
--------------------------	-----------------

Popular Downloads

Data Sheet, Technical Information	9AKK107991A8329
-----------------------------------	-----------------

Classifications

ETIM 8	EC002305 - Digital time switch for distribution board
ETIM 9	EC002305 - Digital time switch for distribution board
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85364900
eClass	V11.0 : 27200110
Object Classification Code	K

Categories

Low Voltage Products and Systems → Modular DIN Rail Products → Control and Automation Devices → Analogue and Digital Time Switches

