M1174 1/3



PRODUCT-DETAILS

M1174

M1174 Socket outlet



General Information	
Extended Product Type	M1174
Product ID	2CSM110000R0711
EAN	8012542006602
Catalog Description	M1174 Socket outlet
Long Description	This modular socket allows the connection of devices, tools or electrical and electronic non modular equipments in civil and industrial electrical switchboards.

Technical	
Rated Voltage (U _r)	250 V AC
Rated Current (I _n)	16 A
Rated Frequency (f)	50/60 Hz
Power Loss	at Rated Operating Conditions per Pole 0.6 W
Model Number	Other
Number of Active Pin Terminals	2
Tightening Torque	1.2 N⋅m
Product Type	French Standard

M1174 2/3

Options Provided	Safety shutters
Color	Grey
Cable Cross-Section	Minimum 2.5 mm ²
	Maximum 16 mm²

Material Compliance	
RoHS Information	9AKK107492A6968
RoHS Status	Following EU Directive 2011/65/EU
RoHS Date	20170426
REACH Declaration	9AKK108467A9482
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Environmental	
Ambient Air	Operation -25+35 °C
Temperature	Storage -40+70 °C
Degree of Protection	IP20
Environmental	See RoHS Information
Information	

Dimensions	
Width in Number of Modular Spacings	2.5
Product Net Width	0.045 m
Product Net Height	0.085 m
Product Net Depth / Length	0.070 m
Product Net Weight	0.120 kg
Built-In Depth (t ₂)	60 mm

Ordering	
Package Level 1 Units	box 1 piece
Package Level 1 Gross Weight	0.54 kg
E-Number (Finland)	2519724
E-Number (Sweden)	2100358

Certificates and Declarations	
CEBEC Certificate	9AKK108467A1243
Certification Agency	CEBEC LCIE
Declaration of Conformity - CE	9AKK107492A6968

installation	
Instructions and	No document needed

M1174 3/3

Manuals

Popular Downloads

Data Sheet, Technical 2CSC400002D0209
Information 2CSC400002D0209

Classifications	
ETIM 8	EC001663 - Socket outlet for distribution board
ETIM 9	EC001663 - Socket outlet for distribution board
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85369010
eClass	V11.0 : 27142305
Object Classification Code	x

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Modular\ DIN\ Rail\ Products \rightarrow Command\ and\ Signalling\ Devices \rightarrow Socket\ Outlets$









3605