



PRODUCT-DETAILS

# WRK/W

## WRK/W Lock Bolt Switching Contact with Connection Cable



General Information	
Extended Product Type	WRK/W
Product ID	2CDG250003R0011
EAN	4016779664042
Catalog Description	WRK/W Lock Bolt Switching Contact with Connection Cable
Long Description	For installation in the strike plate. Used for lock monitoring on doors. Water-tight IP 68, with 2.5 m connection cable LIYY 3 x 0.14 mm².

Installation	
Instructions and Manuals	2CDG941135P0001
Mounting Type	Built-in

Technical	
Data Sheet, Technical Information	2CDC541069D0201
Operating Principle	Mechanical
Manual Operation	No
VdS Class	Class C

Number of Batteries0

Electrical

Voltage Range	10 ... 30 V DC
Maximum Switching Current	0.3 A
Power Loss	0 W

Material Compliance

RoHS Information	2CDK540210D2701
RoHS Status	Following EU Directive 2011/65/EU
REACH Declaration	9AKK108468A9644
REACH Information	False - does not contains substances > 0.1 mass percentage
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Environmental

Degree of Protection	IP67
----------------------	------

Dimensions

Product Net Width	8.25 mm
Product Net Height	43.7 mm
Product Net Depth / Length	18 mm
Product Net Weight	0.02 kg

Certificates and Declarations

Declaration of Conformity - CE	2CDK540210D2701
--------------------------------	-----------------

Classifications

ETIM 9	EC001759 - Detector for locking surveillance
eClass	V11.0 : 27143230
Object Classification Code	A
WEEE Category	Product Not in WEEE Scope

---

## Categories

---

Low Voltage Products and Systems → Building and Home Automation Solutions → Intrusion Alarm Systems → Conventional

Low Voltage Products and Systems → Building and Home Automation Solutions → KNX → Security

