



PRODUCT-DETAILS

# KS/K4.1

## KS/K4.1 Cable Set, Basic



General Information	
Extended Product Type	KS/K4.1
Product ID	GHQ6301910R0001
EAN	4016779517256
Catalog Description	KS/K4.1 Cable Set, Basic
Long Description	For connection of sealed lead acid batteries SAK7, SAK12 and SAK17 to the uninterruptible EIB power supply SU/S 30.640.1. In case only one battery is connected, the Basic Cable Set KS/K 4.1 with integrated temperature sensor is to be used.

Installation	
Instructions and Manuals	2CDC501002D0203
Installing and Commissioning Manual	2CDC501005D0202
Mounting Type	Cable

### Technical

Data Sheet, Technical Information	2CDC501004D0201
Product Range	KNX
Manual Operation	No
Number of Batteries	0
Terminal Type	Connection

Electrical

Power Loss	0 W
------------	-----

Material Compliance

RoHS Information	2CDK501074D2701
RoHS Status	Following EU Directive 2011/65/EU
REACH Declaration	9AKK108468A9644
REACH Information	False - does not contains substances > 0.1 mass percentage
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Dimensions

Product Net Width	200 mm
Product Net Height	15 mm
Product Net Depth / Length	15 mm
Product Net Weight	0.152 kg

Certificates and Declarations

Declaration of Conformity - CE	2CDK501074D2701
--------------------------------	-----------------

Classifications

ETIM 9	EC000635 - Connection-/branching terminal for bus system
eClass	V11.0 : 27143105
UNSPSC	39121432
IDEA Granular Category Code (IGCC)	4603 >> Electrical terminals
Object Classification Code	A
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer

---

## Categories

---

Low Voltage Products and Systems → Building and Home Automation Solutions → KNX → Power Supply → Battery Modules and Accessories

