6190/49-101 1/3



PRODUCT-DETAILS

6190/49-101

6190/49-101 Heating Transformer



General Information	
Extended Product Type	6190/49-101
Product ID	2CKA006190A0040
EAN	4011395070543
Catalog Description	6190/49-101 Heating Transformer
Long Description	For wind and/or rain sensor 6190/41and 6190/43. Output: 24 V~, max. 1A SELV Also suitable for supplying up to 5 thermoelectric valve drives 24 V, TSA/K 24.1. For power supply to weather station WS/S 4.1.

Installation		
Instructions and Manuals	2CKA000073B6593	
Wiring Diagram	2CKA000097E0124	
Mounting Type	DIN-Rail	

Tech	nical
I ECI	IIIICAI

Data Sheet, Technical 2CKA000073B6782

6190/49-101 2/3

٠		•						
ı	ın	Ť	าเ	r٢	กล	٩Ť	iο	n

Number of Outputs	2
Compatible Bus Systems	KNX (TP)
Product Range	KNX
Number of Batteries	0

Electrical

Rated Voltage (U _r)	230 V
Secondary Voltage	24 V
Auxiliary Voltage AC/DC	230 V AC/DC
Rated Current (In)	500 A
Rated Frequency (f)	50 / 60 Hz

Material Compliance

RoHS Information	2CKA200000E4760
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
REACH Declaration	2CKA309999E9999
REACH Information	False - does not contains substances > 0.1 mass percentage
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Environmental

Ambient Air	Operation -5 +40 °C
Temperature	
Degree of Protection	IP20

Dimensions

Difficusions	
Width in Number of	4
Modular Spacings	
Product Net Width	72 mm
Product Net Height	90 mm
Product Net Depth /	70 mm
Length	
Product Net Weight	535 g
Built-In Depth (t ₂)	58 mm
Dimension Diagram	2CKA000097E0732

Certificates and Declarations

Declaration of	2CKA100000E1301
Conformity - CE	

Classifications

WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
eClass	V11.0 : 27143192
ETIM 9	EC001583 - Accessories/spare parts for bus system

6190/49-101 3/3

WEEE B2C / B2B Business To Consumer

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Building\ and\ Home\ Automation\ Solutions \rightarrow KNX \rightarrow Standard\ Inputs \rightarrow Metrological\ and\ Physical\ Sensors$

