

PRODUCT-DETAILS

## SD/S 8.16.1 SD/S8.16.1 Switch-/Dim Actuator, 8-fold, 16 A, MDRC



© 2024 ABB. All rights reserved.

Extended Product Type	SD/S 8.16.1
Product ID	2CDG110081R0011
EAN	4016779659185
Catalog Description	SD/S8.16.1 Switch-/Dim Actuator, 8-fold, 16 A, MDRC
Long Description	MDRC Devices for switching and dimming of 2, 4 or 8 independent groups of luminaries with electrical ballasts and 1-10V control inputs. Per channel a potential free relay can be switched on or off via the ABB i-bus® or manually. Manual and visual operation is included. A power supply is not necessary.
Installation	
แารเลแลแบบ	
Instructions and Manuals	2CDG941042P0003
	2CDG941042P0003 DIN-Rai
Instructions and Manuals Mounting Type	
Instructions and Manuals Mounting Type Technical	DIN-Rai
Instructions and Manuals Mounting Type	

Subject to change without notice

2024/04/12

Compatible Bus Systems	KNX (TP)
Product Range	KNX
Manual Operation	Yes
Number of Batteries	0

Rated Operational Voltage	110 230 V AC
Auxiliary Voltage AC/DC	KNX
Output Voltage (U <sub>out</sub> )	230 V AC
Maximum Switching Current	16 A
Maximum Control Current DC	100 mA
Rated Frequency (f)	50 / 60 Hz
Load Type	Universa
Power Loss	10.4 W

Design	
Color	light grey

Material Compliance	
RoHS Information	2CDK507127D2701
RoHS Status	Following EU Directive 2011/65/EU
REACH Declaration	9AKK108468A9644
REACH Information	False - does not contains substances > 0.1 mass percentage
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363
SCIP	b39a2e32-bad6-4464-90de-fc803f50601d Germany (DE)

Environmental	
Degree of Protection	

Dimensions	
Width in Number of Modular Spacings	8
Product Net Width	144 mm
Product Net Height	90 mm
Product Net Depth / Length	64.5 mm
Product Net Weight	0.508 kg
Built-In Depth (t <sub>2</sub> )	64.5 mm
Dimension Diagram	2CDC072027F0017

Certificates and Declarations	
_ Declaration of Conformity - CE	2CDK507127D2701
KNX Certificate	9AKK105710A0106

IP20

Classifications	
ETIM 9	EC001094 - Dimming actuator for bus system
eClass	V11.0 : 27143123
UNSPSC	39121801
Object Classification Code	Α
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer

## Categories

Low Voltage Products and Systems  $\rightarrow$  Building and Home Automation Solutions  $\rightarrow$  KNX  $\rightarrow$  Lighting Control  $\rightarrow$  1-10V Switch / Dim Actuators and Light Controllers









3605