PS1/4/6-KNX 1/3



PRODUCT-DETAILS

## **PS1/4/6-KNX**

# PS 1/4/6-KNX Busbar, 1 Phase, 4 Contacts



General Information	
Extended Product Type	PS1/4/6-KNX
Product ID	2CDG924003R0011
EAN	4016779667586
Catalog Description	PS 1/4/6-KNX Busbar, 1 Phase, 4 Contacts
Long Description	The busbars reduce the wiring effort for ABB i-bus® modular installation devices.  Different load circuits can be supplied from a common source using the busbar. The busbars are suitable for 6 sqmm terminals in the ABB i-bus® range, such as those installed in the 10 A and 16 A SA/S ABB i-bus® Switch Actuators, Switch/Dim Actuators  SD/S x.16.1 or Light Controller LR/S 4.16.1.

Installation	
Instructions and	2CDC503030D0201
Manuals	
Mounting Type	Accessory

## Technical

PS1/4/6-KNX 2/3

Data Sheet, Technical	2CDC503030D0201
Information	
Pitch	44607.0
Number of Poles	4
Number of Phases	1
Number of Contacts	1
Number of Mountable	1
Devices	
Product Range	KNX
Connection Type	Pin
Manual Operation	No
Number of Batteries	0
Rated Cross-Section	6 mm²

Electrical	
Rated Operational Voltage	Maximum 400 V
Operational Voltage	Maximum (Incl. Tolerance) 400 V AC
Voltage Protection Level ( Up)	4 kV
Rated Impulse Withstand Voltage (U <sub>imp</sub> )	4 kV
Rated Short-time Withstand Current Low Voltage (I <sub>cw</sub> )	25 kA
Rated Conditional Short- Circuit Current (I <sub>nc</sub> )	25 kA
Rated Uninterrupted Current (I <sub>u</sub> )	40 A
Power Loss	0 W

Design	
Color	white

Material Compliance	
RoHS Information	2CDK503006D2702
RoHS Status	Following EU Directive 2011/65/EU
REACH Declaration	9AKK108468A9644
REACH Information	False - does not contains substances > 0.1 mass percentage
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Dimensions	
Width in Number of Modular Spacings	4
Product Net Width	62 mm
Product Net Height	17 mm
Product Net Depth / Length	62 mm

PS1/4/6-KNX 3/3

Product Net Weight 0.007 kg

#### **Certificates and Declarations**

Declaration of 2CDK503006D2702 Conformity - CE

Classifications	
ETIM 9	EC000215 - Phase busbar
eClass	V11.0 : 27371306
UNSPSC	39121117
IDEA Granular Category Code (IGCC)	4375 >> Buss bar
Object Classification Code	А
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer

### **Categories**

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Building\ and\ Home\ Automation\ Solutions \rightarrow KNX \rightarrow Connection\ and\ Wiring \rightarrow Bus\ Bars\ and\ Wiring\ Jumpers$ 

