

PRODUCT-DETAILS

## **OTPS125FP**OTPS125FP FOURTH POLE



General Information	
Extended Product Type	OTPS125FF
Product ID	1SCA105099R1001
EAN	6417019392264
Catalog Description	OTPS125FP FOURTH POLE
Long Description	OTPS125FP FOURTH POLE

Circular Value	
Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
REACH Declaration	1SCC011021D0201
RoHS Information	1SCC011020D0201

Ordering	
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

OTPS125FP 2/3

Country of Origin Finland (FI)

Popular Downloads	
Data Sheet, Technical Information	1SCC301020C0201
Instructions and	1SCC390068M0202
Manuals	

Dimensions	
Product Net Width	26.5 mm
Product Net Height	100 mm
Product Net Depth / Length	49 mm
Product Net Weight	0.11 kg

Technical	
Special Functions	FP

Environmental	
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Certificates and Declarations	
Declaration of	1SCC390034D0201
Conformity - CE	
REACH Declaration	1SCC011021D0201

Container Information	
Package Level 1 Units	1 piece
Package Level 1 Width	120 mm
Package Level 1 Depth / Length	150 mm
Package Level 1 Height	60 mm
Package Level 1 Gross Weight	0.12 kg
Package Level 1 EAN	6417019392264

Classifications	
Object Classification Code	N/A
ETIM 7	EC002498 - Accessories for low-voltage switch technology
ETIM 8	EC002498 - Accessories/spare parts for low-voltage switch technology
ETIM 9	EC002498 - Accessories/spare parts for low-voltage switch technology
UNSPSC	39122221
IDEA Granular Category	5219 >> Switch part or accessory

OTPS125FP 3/3

## Code (IGCC)

eClass	V11.1 : 27371392
WEEE Category	Product Not in WEEE Scope
E-Number (Finland)	3661045
E-Number (Sweden)	3170954

## Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switches \rightarrow Change-over\ and\ Transfer\ Switches \rightarrow Manual\ Change-over\ Switches$   $Low\ Voltage\ Products\ and\ Systems \rightarrow Switches \rightarrow Motorized\ Switch-Disconnectors$   $Low\ Voltage\ Products\ and\ Systems \rightarrow Switches \rightarrow Switch\ Disconnectors$ 

