




 PRODUCT-DETAILS

IS2-EG0919

IS2-EG0919 Control and Automation Board



General Information

Extended Product Type	IS2-EG0919
Product ID	EG0919
EAN	8015646807939
Catalog Description	IS2-EG0919 Control and Automation Board
Long Description	Blind Galvan.Panel Rack Ral 7035 9 He

Technical

Standards	See code for structure
Sub-Function 3	482.6 mm (19 inch) mounting set
Suitable For	Automation and Control Enclosures (System pro E control) - IS2
Suitable for Product Class	Automation and Control Enclosures (System pro E control)
Accessory Type	13. 19" rack structure
Mounting Type	Kit Pre assembled
Product Type	5B5B30B350
Material	Galvanized Steel sheet
Options Provided	6. Blind and aerated panel in steel sheet
Remarks	ETIM

Material Compliance

RoHS Information	1STC860065
RoHS Status	No declaration needed
RoHS Date	20140108

Environmental

Environmental Information	1STC804013D0209
---------------------------	-----------------

Dimensions

Product Net Width	396 mm
Product Net Height	15 mm
Product Net Depth / Length	482 mm
Product Net Weight	2.69 kg
Reference Depth/Length	300 mm 400 mm 500 mm 600 mm 800 mm 1000 mm
Reference Height	1400 mm 1600 mm 1800 mm 2000 mm 2200 mm
Reference Width	600 mm 800 mm

Ordering

Package Level 1 Units	1 piece
Package Level 1 Gross Weight	2.694 kg

Certificates and Declarations

Declaration of Conformity - CE	1STC860113
-----------------------------------	------------

Installation

Instructions and Manuals	1STM604121R0008
--------------------------	-----------------

Popular Downloads

Data Sheet, Technical Information	1STC804013D0209
--------------------------------------	-----------------

Classifications

ETIM 8	EC002625 - Mounting accessories (enclosure/cabinet)
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

WEEE B2C / B2B

Business To Business

CN8

85381000

eClass

V11.1 : 27182807

Categories

Low Voltage Products and Systems → Enclosures → Automation and Control Enclosures (System pro E control) → Enclosures - Baying (Horizontal Joining) → IS2

