



PRODUCT-DETAILS

CTA/25**CTA/25 Current transformer****General Information**

Extended Product Type	CTA/25
Product ID	2CSG111060R1141
EAN	8012542661702
Catalog Description	CTA/25 Current transformer
Long Description	CTA/25 is used to transform primary currents to \dots /5A secondary currents for c.a. measurement instruments

Technical

Cable Use	Cable
Current Rating	25 A
Rated Primary Current (I_{pn})	25 A
Rated Secondary Current (I_{sn})	5 A
Current Limit Function	FS 5
Frequency (f)	50 ... 60 Hz
Apparent Power Output	20 V·A

Secondary Output Connection	Plug-in connection
Accuracy	±0,5%
Model Number	Through-feed current converter
Number of Inputs	Primary 1
Mounting Type	DIN-Rail

Material Compliance

RoHS Information	2CSC445013K0201
RoHS Status	Following EU Directive 2002/95/EC August 18, 2005 and amendment
RoHS Date	31/12/2007 0.00.00
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Environmental

Ambient Air Temperature	Operation -5 ... 50 °C
Environmental Information	See RoHS Information

Dimensions

Product Net Width	56 mm
Product Net Height	26.5 mm
Product Net Depth / Length	63 mm
Product Net Weight	0.285 kg

Ordering

Package Level 1 Units	box 1 piece
Package Level 1 Gross Weight	0.3 kg

Certificates and Declarations

Declaration of Conformity - CE	9AKK106713A5700
--------------------------------	-----------------

Installation

Instructions and Manuals	No document needed
--------------------------	--------------------

Popular Downloads

Data Sheet, Technical Information	9AKK107046A0430
-----------------------------------	-----------------

Classifications

ETIM 8	EC002048 - Current transformer
ETIM 9	EC002048 - Current transformer
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85043121
eClass	V11.0 : 27210902
Object Classification Code	T

Categories

Low Voltage Products and Systems → Modular DIN Rail Products → Energy Efficiency Devices → Current Transformers



360°