




 PRODUCT-DETAILS

IS2-EH4065

IS2-EH4065 Control and Automation Board



General Information

Extended Product Type	IS2-EH4065
Product ID	EH4065
EAN	8015646695949
Catalog Description	IS2-EH4065 Control and Automation Board
Long Description	Blind apparatus holder back plate 400x600mm (HxW)

Technical

Standards	See code for structure
Suitable For	AM2 Cabinets IS2 Enclosures for Automation
Suitable for Product Class	Control and Automation Board
Accessory Type	12. Modular apparatus
Mounting Type	Kit Pre assembled
Product Type	5B5B30B370
Surface Finishing	Orange Peel, RAL 7035
Door Surface Finishing	Opaque
Material	Pickled steel sheet
Options Provided	4. Blind apparatus holder Mounting plates

Remarks	ETIM
RAL Number	RAL 7035 - Light Grey

Material Compliance

RoHS Information	1STC860065
RoHS Date	20140108

Environmental

Environmental Information	1STC804013D0209
---------------------------	-----------------

Dimensions

Product Net Width	346 mm
Product Net Height	384 mm
Product Net Depth / Length	98 mm
Product Net Weight	6.610 kg
Reference Depth/Length	300 mm
	400 mm
	500 mm
	600 mm
	800 mm
	1000 mm
Reference Height	1400 mm
	1600 mm
	1800 mm
	2000 mm
	2200 mm
Reference Width	600 mm

Ordering

Package Level 1 Units	1 piece
Package Level 1 Gross Weight	6.740 kg

Certificates and Declarations

Declaration of Conformity - CE	1STC860113
--------------------------------	------------

Installation

Instructions and Manuals	1STM604121R0006
--------------------------	-----------------

Popular Downloads

Data Sheet, Technical Information	1STC804013D0209
-----------------------------------	-----------------

Classifications

ETIM 8	EC000747 - Door/operating panel (enclosure/cabinet)
--------	---

WEEE Category
WEEE B2C / B2B
CN8
eClass
Object Classification Code

5. Small Equipment (No External Dimension More Than 50 cm)
Business To Business
85381000
V11.1 : 27182204
U

Categories

Low Voltage Products and Systems → Enclosures → Automation and Control Enclosures (System pro E control) → Enclosures - Baying (Horizontal Joining) → IS2

