




PRODUCT-DETAILS

# MJS1-60B

## MJS1-60B Joystick



| General Information   |  |
|-----------------------|--|
| Extended Product Type | MJS1-60B   |
| Product ID            | 1SFA611701R6006  |
| EAN                   | 7320500375693  |
| Catalog Description   | MJS1-60B Joystick  |
| Long Description      | <p>The MJS1-60B Joystick is: 2-position - Maintained - Joystick without latching function - Black - Non-illuminated - Chrome Metal - No contact block</p> <p>This Joystick is part of ABB's modular plastic range, the most versatile range with a high level of flexibility and market-leading electrical ratings. Engineered for total reliability, longer lifetime, and highest mechanical durability. Self-cleaning contacts ensure reliable operation without the need for maintenance, increasing uptime. A high degree of protection guarantees reliability in extreme environments. The innovative design simplifies the entire process, from selection to easy and quick, tool-free installation. The perfect solution for every application.</p> |

| Ordering               |          |
|------------------------|----------|
| Minimum Order Quantity | 1 piece  |
| Customs Tariff Number  | 85369001 |

| Popular Downloads                 |                 |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | 1SFC151007C02__ |
| Instructions and Manuals          | 1SFC151011M0201 |

| Dimensions                 |          |
|----------------------------|----------|
| Product Net Width          | 0.04 m   |
| Product Net Height         | 0.043 m  |
| Product Net Depth / Length | 0.097 m  |
| Product Net Weight         | 0.062 kg |

| Technical               |  |
|-------------------------|--|
| Ambient Air Temperature | Operation -25 ... +70 °C<br>Storage -40 ... +85 °C |
| Color                   | Black  |
| Actuator Type           | Joystick without latching function                 |
| Bezel Material          | Chrome Metal                                       |
| Illumination            | Non-illuminated                                    |
| Function                | Maintained   |
| Sub-Function            | 2-position   |
| Enclosure Type NEMA     | Type1<br>Type12<br>Type13<br>Type4<br>Type4X       |
| Mechanical Durability   | 0.5 million  |

| Environmental        |   |
|----------------------|---|
| Degree of Protection | Front IP66<br>Front IP67<br>Front IP69K |

| Material Compliance                         |  |
|---|--|
| Conflict Minerals Reporting Template (CMRT) | 9AKK108467A5658  |
| REACH Declaration                           | 2CMT2022-006479  |
| RoHS Information                            | 2CMT2022-006498  |
| RoHS Status                                 | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |
| Toxic Substances Control Act - TSCA         | 2CMT2023-006523  |
| WEEE Category                               | Product Not in WEEE Scope  |

| Certificates and Declarations  |                 |
|--------------------------------|-----------------|
| cULus Certificate              | 9AKK107046A9925 |
| Declaration of Conformity - CE | 2CMT2015-005452 |

|                                     |                 |
|-------------------------------------|-----------------|
| Declaration of<br>Conformity - UKCA | 2CMT2020-006121 |
| DNV GL Certificate                  | E-14107         |

Container Information

|                                   |               |
|-----------------------------------|---------------|
| Package Level 1 Units             | bag 1 piece   |
| Package Level 1 Width             | 0.11 m        |
| Package Level 1 Depth /<br>Length | 0.15 m        |
| Package Level 1 Height            | 0.048 m       |
| Package Level 1 Gross<br>Weight   | 0.065 kg      |
| Package Level 1 EAN               | 7320500375693 |

Classifications

|                                       |                                     |
|---------------------------------------|-------------------------------------|
| Object Classification<br>Code         | S                                   |
| ETIM 6                                | EC000632 - Control switch, Joystick |
| ETIM 7                                | EC000632 - Control switch, Joystick |
| ETIM 8                                | EC000632 - Control switch, Joystick |
| eClass                                | V11.0 : 27371404                    |
| UNSPSC                                | 39122227                            |
| IDEA Granular Category<br>Code (IGCC) | 5280 >> Joystick switch or control  |
| E-Number (Finland)                    | 2312112                             |
| E-Number (Norway)                     | 4372965                             |
| E-Number (Sweden)                     | 3705016                             |

Categories

Low Voltage Products and Systems → Control Products → Pilot Devices → Modular Plastic Range → MJS Joysticks

