




PRODUCT-DETAILS

MJS12-60B

MJS12-60B Joystick



| General Information | |
|-----------------------|---|
| Extended Product Type | MJS12-60B |
| Product ID | 1SFA611712R6006 |
| EAN | 7320500375808 |
| Catalog Description | MJS12-60B Joystick |
| Long Description | <p>The MJS12-60B Joystick is: 4-position - Momentary - Joystick with latching function - Black - Non-illuminated - Chrome Metal - No contact block</p> <p>This Joystick is part of ABB's modular plastic range, the most versatile range with a high level of flexibility and market-leading electrical ratings. Engineered for total reliability, longer lifetime, and highest mechanical durability. Self-cleaning contacts ensure reliable operation without the need for maintenance, increasing uptime. A high degree of protection guarantees reliability in extreme environments. The innovative design simplifies the entire process, from selection to easy and quick, tool-free installation. The perfect solution for every application.</p> |

| Ordering | |
|------------------------|----------|
| Minimum Order Quantity | 1 piece |
| Customs Tariff Number | 85369001 |

| Popular Downloads | |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | 1SFC151007C02__ |
| Instructions and Manuals | 1SFC151011M0201 |

| Dimensions | |
|----------------------------|----------|
| Product Net Width | 0.04 m |
| Product Net Height | 0.043 m |
| Product Net Depth / Length | 0.097 m |
| Product Net Weight | 0.062 kg |

| Technical | |
|-------------------------|--|
| Ambient Air Temperature | Operation -25 ... +70 °C Storage -40 ... +85 °C |
| Color | Black |
| Actuator Type | Joystick with latching function |
| Bezel Material | Chrome Metal |
| Illumination | Non-illuminated |
| Function | Momentary |
| Sub-Function | 4-position |
| Enclosure Type NEMA | Type1 Type12 Type13 Type4 Type4X |
| Mechanical Durability | 0.5 million |

| Environmental | |
|----------------------|---|
| Degree of Protection | Front IP66 Front IP67 Front IP69K |

| Material Compliance | |
|---|--|
| Conflict Minerals Reporting Template (CMRT) | 9AKK108467A5658 |
| REACH Declaration | 2CMT2022-006479 |
| RoHS Information | 2CMT2022-006498 |
| RoHS Status | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |
| Toxic Substances Control Act - TSCA | 2CMT2023-006523 |
| WEEE Category | Product Not in WEEE Scope |

| Certificates and Declarations | |
|--------------------------------|-----------------|
| cULus Certificate | 9AKK107046A9925 |
| Declaration of Conformity - CE | 2CMT2015-005452 |

| | |
|-------------------------------------|-----------------|
| Declaration of Conformity - UKCA | 2CMT2020-006121 |
| DNV GL Certificate | E-14107 |

Container Information

| | |
|-----------------------------------|---------------|
| Package Level 1 Units | bag 1 piece |
| Package Level 1 Width | 0.11 m |
| Package Level 1 Depth / Length | 0.15 m |
| Package Level 1 Height | 0.048 m |
| Package Level 1 Gross Weight | 0.065 kg |
| Package Level 1 EAN | 7320500375808 |

Classifications

| | |
|---------------------------------------|-------------------------------------|
| Object Classification Code | S |
| ETIM 6 | EC000632 - Control switch, Joystick |
| ETIM 7 | EC000632 - Control switch, Joystick |
| ETIM 8 | EC000632 - Control switch, Joystick |
| eClass | V11.0 : 27371404 |
| UNSPSC | 39122227 |
| IDEA Granular Category Code (IGCC) | 5280 >> Joystick switch or control |
| E-Number (Finland) | 2312119 |
| E-Number (Norway) | 4372972 |
| E-Number (Sweden) | 3705025 |

Categories

Low Voltage Products and Systems → Control Products → Pilot Devices → Modular Plastic Range → MJS Joysticks

