



PRODUCT-DETAILS

BES750-30

BES750-30 Connection Set



General Information	
Extended Product Type	BES750-30
Product ID	1SFN086104R1000
EAN	7320500222256
Catalog Description	BES750-30 Connection Set
Long Description	Line or load side busbar kit for 3 pole phase to phase contactors mounted side by side

Ordering	
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

Popular Downloads	
Data Sheet, Technical Information	1SBC100122C0202
Instructions and Manuals	1SFC380025-89
CAD Dimensional	2CDC001079B0201

Drawing

Dimensions	
Product Net Width	450 mm
Product Net Depth / Length	79 mm
Product Net Height	87 mm
Product Net Weight	3.7 kg

Technical	
Terminal Type	Screw Terminals
Suitable For	AF580 AF750

Material Compliance	
Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
REACH Declaration	2CMT2021-006202
RoHS Information	2CMT2021-006277
RoHS Status	Following EU Directive 2011/65/EU
WEEE B2C / B2B	Business To Business
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Certificates and Declarations	
cUL Certificate	20120925-E36588
Declaration of Conformity - CE	2CMT005309
Declaration of Conformity - UKCA	2CMT2020-006120

Container Information	
Package Level 1 Units	box 1 piece
Package Level 1 Width	470 mm
Package Level 1 Depth / Length	90 mm
Package Level 1 Height	260 mm
Package Level 1 Gross Weight	4.24 kg
Package Level 1 EAN	7320500222256

Classifications	
Object Classification Code	W
ETIM 4	EC002498 - Accessories for low-voltage switch technology
ETIM 5	EC002498 - Accessories for low-voltage switch technology
ETIM 6	EC002498 - Accessories for low-voltage switch technology

ETIM 7	EC002498 - Accessories for low-voltage switch technology
ETIM 8	EC002498 - Accessories/spare parts for low-voltage switch technology
eClass	V11.0 : 27371392
UNSPSC	39122221
IDEA Granular Category Code (IGCC)	5219 >> Switch part or accessory
E-Number (Finland)	3709276
E-Number (Norway)	4116147
E-Number (Sweden)	4116147

Categories

Low Voltage Products and Systems → Control Products → Contactors → Block Contactors

