




PRODUCT-DETAILS

ZA110

ZA110 220-230V 50Hz Operating Coil



General Information	
Extended Product Type	ZA110
Product ID	1SFN154310R8006
EAN	7320500149560
Catalog Description	ZA110 220-230V 50Hz Operating Coil
Long Description	a.c. operated contactor coil

Ordering	
Minimum Order Quantity	1 piece
Customs Tariff Number	85045095

Popular Downloads	
Data Sheet, Technical Information	1SBC100122C0202
Instructions and Manuals	5309660-60
CAD Dimensional	2CDC001079B0201

Drawing

Dimensions

Product Net Width	150 mm
Product Net Depth / Length	40 mm
Product Net Height	35 mm
Product Net Weight	0.17 kg

Technical

Rated Control Circuit Voltage (U _c)	50 Hz 220 ... 230 V 60 Hz 230 ... 240 V
Terminal Type	Screw Terminals
Suitable For	A95 A110 UA95 UA110

Material Compliance

Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
REACH Declaration	2CMT2021-006202
RoHS Information	2CMT2021-006277
RoHS Status	Following EU Directive 2011/65/EU
WEEE B2C / B2B	Business To Business
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Certificates and Declarations

Declaration of Conformity - CE	2CMT005321
Declaration of Conformity - UKCA	2CMT2020-006120

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 Width	43 mm
Package Level 1 Depth / Length	167 mm
Package Level 1 Height	40 mm
Package Level 1 Gross Weight	0.22 kg
Package Level 1 EAN	7320500149560

Classifications

Object Classification Code	M
ETIM 4	EC002498 - Accessories for low-voltage switch technology

ETIM 5	EC002498 - Accessories for low-voltage switch technology
ETIM 6	EC002498 - Accessories for low-voltage switch technology
ETIM 7	EC002498 - Accessories for low-voltage switch technology
ETIM 8	EC002498 - Accessories/spare parts for low-voltage switch technology
eClass	V11.1 : 27371390
UNSPSC	39121010
IDEA Granular Category Code (IGCC)	4144 >> Coil for low-voltage
E-Number (Finland)	3709238
E-Number (Norway)	4120966

Categories

Low Voltage Products and Systems → Control Products → Contactors → Block Contactors

