



PRODUCT-DETAILS

ZAF460

ZAF460 24-60V DC Operating Coil



General Information	
Extended Product Type	ZAF460
Product ID	1SFN155770R6806
EAN	7320500222560
Catalog Description	ZAF460 24-60V DC Operating Coil
Long Description	a.c. / d.c. operated wide range contactor coil with electronic interface

Ordering	
Minimum Order Quantity	1 piece
Customs Tariff Number	85045095

Popular Downloads	
Data Sheet, Technical Information	1SBC100214C0201
Instructions and Manuals	1SFC380023-en
CAD Dimensional	2CDC001079B0201

Drawing

Dimensions

Product Net Width	180 mm
Product Net Depth / Length	140 mm
Product Net Height	45 mm
Product Net Weight	0.53 kg

Technical

Rated Control Circuit Voltage (U _c)	DC Operation 24 ... 60 V
Terminal Type	Screw Terminals
Suitable For	AF400 AF460 GAF460

Material Compliance

Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
REACH Declaration	2CMT2021-006202
RoHS Information	2CMT2021-006277
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
WEEE B2C / B2B	Business To Business
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Certificates and Declarations

Declaration of Conformity - CE	2CMT005309
Declaration of Conformity - UKCA	2CMT2020-006120

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 Width	255 mm
Package Level 1 Depth / Length	74 mm
Package Level 1 Height	170 mm
Package Level 1 Gross Weight	0.79 kg
Package Level 1 EAN	7320500222560

Classifications

Object Classification Code	M
ETIM 4	EC002498 - Accessories for low-voltage switch technology
ETIM 5	EC002498 - Accessories for low-voltage switch technology

ETIM 6	EC002498 - Accessories for low-voltage switch technology
ETIM 7	EC002498 - Accessories for low-voltage switch technology
ETIM 8	EC002498 - Accessories/spare parts for low-voltage switch technology
eClass	V11.1 : 27371390
UNSPSC	39121010
IDEA Granular Category Code (IGCC)	4144 >> Coil for low-voltage

Categories

Low Voltage Products and Systems → Control Products → Contactors → Block Contactors

