



PRODUCT-DETAILS

# ZAF460

## ZAF460 48-130V Operating Coil



General Information	
Extended Product Type	ZAF460
Product ID	1SFN155770R6906
EAN	7320500222577
Catalog Description	ZAF460 48-130V Operating Coil
Long Description	a.c. / d.c. operated wide range contactor coil with electronic interface

Ordering	
Minimum Order Quantity	1 piece
Customs Tariff Number	85045095

Popular Downloads	
Data Sheet, Technical Information	1SBC100214C0201
Instructions and Manuals	1SFC380023-en
CAD Dimensional	2CDC001079B0201

Drawing

Dimensions

Product Net Width	180 mm
Product Net Depth / Length	140 mm
Product Net Height	45 mm
Product Net Weight	0.53 kg

Technical

Terminal Type	Screw Terminals
Suitable For	AF400 AF460 GAF460

Material Compliance

Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
REACH Declaration	2CMT2021-006202
RoHS Information	2CMT2021-006277
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
WEEE B2C / B2B	Business To Business
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Certificates and Declarations

cUL Certificate	20120925-E36588
Declaration of Conformity - CE	2CMT005309
Declaration of Conformity - UKCA	2CMT2020-006120

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 Width	255 mm
Package Level 1 Depth / Length	74 mm
Package Level 1 Height	170 mm
Package Level 1 Gross Weight	0.79 kg
Package Level 1 EAN	7320500222577

Classifications

Object Classification Code	M
ETIM 4	EC002498 - Accessories for low-voltage switch technology
ETIM 5	EC002498 - Accessories for low-voltage switch technology

ETIM 6	EC002498 - Accessories for low-voltage switch technology
ETIM 7	EC002498 - Accessories for low-voltage switch technology
ETIM 8	EC002498 - Accessories/spare parts for low-voltage switch technology
eClass	V11.1 : 27371390
UNSPSC	39121010
IDEA Granular Category Code (IGCC)	4144 >> Coil for low-voltage
E-Number (Norway)	3229128

Categories

Low Voltage Products and Systems → Control Products → Contactors → Block Contactors

