



PRODUCT-DETAILS

# MEPY1-0

## MEPY1-0 Enclosure



| General Information   |                                                                                                                                                                                                                                                                                                 |
|-----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Extended Product Type | MEPY1-0                                                                                                                                                                                                                                                                                         |
| Product ID            | 1SFA611821R1000                                                                                                                                                                                                                                                                                 |
| EAN                   | 7320500312797                                                                                                                                                                                                                                                                                   |
| Catalog Description   | MEPY1-0 Enclosure                                                                                                                                                                                                                                                                               |
| Long Description      | MEPY1-0 Enclosure is one seat empty yellow plastic enclosure. This enclosure can fit both modular and compact range. Modular range can be with the unique possibility to mount up to 5 contact blocks assigned to one operator. Degree of protection: IP66<br>UL/NEMA type 1, 3R, 4, 4X, 12, 13 |

| Ordering               |          |
|------------------------|----------|
| Minimum Order Quantity | 1 piece  |
| Customs Tariff Number  | 85369001 |
| Product Main Type      | MEPY1    |

| Popular Downloads     |                 |
|-----------------------|-----------------|
| Data Sheet, Technical | 1SFC151007C02__ |

|                          |                 |
|--------------------------|-----------------|
| Information              |                 |
| Instructions and Manuals | 1SFC151011M0201 |
| CAD Dimensional Drawing  | 2CDC001079B0201 |

Dimensions

|                            |          |
|----------------------------|----------|
| Product Net Width          | 0.101 m  |
| Product Net Depth / Length | 0.061 m  |
| Product Net Height         | 0.075 m  |
| Product Net Weight         | 0.165 kg |

Technical

|                     |                   |
|---------------------|-------------------|
| Accessory Type      | Enclosure         |
| Color               | Yellow/Light grey |
| Enclosure Type NEMA | Type1             |
|                     | Type12            |
|                     | Type13            |
|                     | Type3R            |
|                     | Type4             |
|                     | Type4X            |
| Housing Material    | Plastic           |
| Suitable For        | MP1               |
|                     | MP2               |
|                     | MP3               |
|                     | MP4               |
|                     | MPM1              |
|                     | KP6               |
|                     | M2SS1             |
|                     | M2SS2             |
|                     | M2SS3             |
|                     | M2SS4             |
|                     | M2SS5             |
|                     | M2SS6             |
|                     | M3SS1             |
|                     | M3SS2             |
|                     | M3SS3             |
|                     | M3SS4             |
|                     | M3SS5             |
|                     | M3SS6             |
|                     | M3SS7             |
|                     | M3SS8             |
|                     | M3SSC1            |
|                     | M3SSC2            |
|                     | M3SSC3            |
|                     | M3SSC4            |
|                     | M3SSC5            |
|                     | M3SSC6            |
|                     | M3SSC7            |
|                     | M3SSC8            |
|                     | M2SSK1            |
|                     | M2SSK2            |
|                     | M2SSK3            |
|                     | M2SSK4            |
|                     | M3SSK1            |
|                     | M3SSK2            |
|                     | M3SSK3            |
|                     | MTS1              |
|                     | MTS2              |
|                     | MTS3              |
|                     | MJS               |
|                     | CP1               |

|                            |               |
|----------------------------|---------------|
|                            | CP2           |
|                            | CP3           |
|                            | CP4           |
|                            | CP11          |
|                            | CP12          |
|                            | CP33          |
|                            | C2SS1         |
|                            | C2SS2         |
|                            | C2SS3         |
|                            | CPM3          |
|                            | CL            |
|                            | CL2           |
|                            | CB1           |
|                            | CP6           |
|                            | P9MP          |
|                            | P9MS          |
|                            | P9ME          |
|                            | P9ML          |
|                            | P9MM          |
|                            | P9MC          |
|                            | P9MSC         |
|                            | P9MPS         |
| Suitable for Product Class | Pilot Devices |

Environmental

|                         |                                                    |
|-------------------------|----------------------------------------------------|
| Ambient Air Temperature | Operation -25 ... +70 °C<br>Storage -40 ... +85 °C |
| Degree of Protection    | Front IP66<br>Housing IP66                         |
| Material                | Plastic                                            |

Material Compliance

|                                             |                                                                        |
|---------------------------------------------|------------------------------------------------------------------------|
| Conflict Minerals Reporting Template (CMRT) | 9AKK108467A5658                                                        |
| REACH Declaration                           | 2CMT2022-006479                                                        |
| RoHS Information                            | 2CMT2022-006498                                                        |
| RoHS Status                                 | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |
| Toxic Substances Control Act - TSCA         | 2CMT2023-006523                                                        |
| WEEE Category                               | Product Not in WEEE Scope                                              |

Certificates and Declarations

|                                  |                 |
|----------------------------------|-----------------|
| cULus Certificate                | 9AKK107046A9925 |
| Declaration of Conformity - CE   | 2CMT2015-005444 |
| Declaration of Conformity - UKCA | 2CMT2020-006121 |
| DNV GL Certificate               | E-14107         |

Container Information

|                         |             |
|-------------------------|-------------|
| Package Level 1 Units   | bag 1 piece |
| Package Level 1 Width   | 0.15 m      |
| Package Level 1 Depth / | 0.15 m      |

|                              |               |
|------------------------------|---------------|
| Length                       |               |
| Package Level 1 Height       | 0.11 m        |
| Package Level 1 Gross Weight | 0.17 kg       |
| Package Level 1 EAN          | 7320500312797 |

Classifications

|                                    |                                                  |
|------------------------------------|--------------------------------------------------|
| eClass                             | V11.0 : 27371205                                 |
| E-Number (Finland)                 | 2339544                                          |
| E-Number (Norway)                  | 4373040                                          |
| E-Number (Sweden)                  | 3717102                                          |
| ETIM 6                             | EC000200 - Enclosure for control circuit devices |
| ETIM 7                             | EC000200 - Enclosure for control circuit devices |
| ETIM 8                             | EC000200 - Enclosure for control circuit devices |
| ETIM 9                             | EC000200 - Enclosure for control circuit devices |
| IDEA Granular Category Code (IGCC) | 4478 >> Electrical pushbutton enclosure          |
| Object Classification Code         | S                                                |
| UNSPSC                             | 39121326                                         |

Categories

Low Voltage Products and Systems → Control Products → Pilot Devices → Enclosures and Assembled Stations  
Medium Voltage Products and Systems → Service → Spares and Consumables → Parts → All Spare Parts (Relays-SWG-CB)

