




PRODUCT-DETAILS

# LSA30P06

## LSA30P06 Limit Switch Accessory



| General Information   |                                 |
|-----------------------|---------------------------------|
| Extended Product Type | LSA30P06                        |
| Product ID            | 1SBV048606R1000                 |
| EAN                   | 3471522618337                   |
| Catalog Description   | LSA30P06 Limit Switch Accessory |
| Long Description      | LSA30P06 Limit Switch key       |

| Ordering               |          |
|------------------------|----------|
| Minimum Order Quantity | 10 piece |
| Customs Tariff Number  | 85389099 |

| Popular Downloads                 |                 |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | 1SBC141127C0201 |
| Instructions and Manuals          | 1SBC141127C0201 |

|                            |          |
|----------------------------|----------|
| <b>Dimensions</b>          |          |
| Product Net Width          | 24 mm    |
| Product Net Height         | 52 mm    |
| Product Net Depth / Length | 2 mm     |
| Product Net Weight         | 0.012 kg |

|                         |                          |
|-------------------------|--------------------------|
| <b>Environmental</b>    |                          |
| Ambient Air Temperature | Operation -25 ... +70 °C |

|                                             |                                                            |
|---------------------------------------------|------------------------------------------------------------|
| <b>Material Compliance</b>                  |                                                            |
| Conflict Minerals Reporting Template (CMRT) | 9AKK108467A5658                                            |
| REACH Declaration                           | 1SBD251097E1000                                            |
| RoHS Information                            | 1SBD350074R1001                                            |
| RoHS Status                                 | Following EU Directive 2011/65/EU                          |
| WEEE B2C / B2B                              | Business To Business                                       |
| WEEE Category                               | 5. Small Equipment (No External Dimension More Than 50 cm) |

|                                      |                     |
|--------------------------------------|---------------------|
| <b>Certificates and Declarations</b> |                     |
| CQC Certificate                      | CQC2004010305127663 |
| cUL Certificate                      | 9AKK107991A7379     |
| Declaration of Conformity - CCC      | 2020980305001785    |
| Declaration of Conformity - CE       | 1SBD250883U1000     |

|                              |               |
|------------------------------|---------------|
| <b>Container Information</b> |               |
| Package Level 1 Units        | 1 piece       |
| Package Level 1 Gross Weight | 0.014 kg      |
| Package Level 1 EAN          | 3471522618337 |

|                                    |                                                          |
|------------------------------------|----------------------------------------------------------|
| <b>Classifications</b>             |                                                          |
| ETIM 6                             | EC002594 - Accessories for position switches             |
| ETIM 7                             | EC002594 - Accessories for position switches             |
| ETIM 8                             | EC002594 - Accessories/spare parts for position switches |
| eClass                             | V11.1 : 27270692                                         |
| UNSPSC                             | 39122221                                                 |
| IDEA Granular Category Code (IGCC) | 5219 >> Switch part or accessory                         |

---

## Categories

---

Low Voltage Products and Systems → Control Products → Sensors → Limit Switches

