



PRODUCT-DETAILS

KPR1-101W

KPR1-101W Reset push button



| General Information | |
|------------------------|---|
| Extended Product Type | KPR1-101W |
| Product ID | 1SFA616160R1015 |
| EAN | 7320500547991 |
| Catalog Description | KPR1-101W Reset push button |
| Long Description | <p>The KPR1-101W Reset push button is: Without shaft - Momentary - Flush - White - Non-illuminated - Black Plastic - RUECKSTELLTASTE KPR1-101W FLACH OHNE STOESSEL WEISS TEXT R</p> <p>This Reset push button is part of ABB's modular plastic range, the most versatile range with a high level of flexibility and market-leading electrical ratings. Engineered for total reliability, longer lifetime, and highest mechanical durability. Self-cleaning contacts ensure reliable operation without the need for maintenance, increasing uptime. A high degree of protection guarantees reliability in extreme environments. The innovative design simplifies the entire process, from selection to easy and quick, tool-free installation. The perfect solution for every application.</p> |
| Ordering | |
| Minimum Order Quantity | 10 piece |
| Customs Tariff Number | 8536501999 |

| | |
|-----------------------------------|-----------------|
| Popular Downloads | |
| Data Sheet, Technical Information | 1SFC151007C02__ |
| Instructions and Manuals | 1SFC151011M0201 |

| | |
|----------------------------|----------|
| Dimensions | |
| Product Net Width | 0.03 m |
| Product Net Height | 0.03 m |
| Product Net Depth / Length | 0.04 m |
| Product Net Weight | 0.014 kg |

| | |
|-------------------------|--|
| Technical | |
| Ambient Air Temperature | Operation -25 ... +70 °C Storage -40 ... +85 °C |
| Color | White |
| Actuator Type | Flush |
| Bezel Material | Black Plastic |
| Illumination | Non-illuminated |
| Function | Momentary |
| Sub-Function | Without shaft |
| Device Marking | R |
| Enclosure Type NEMA | Type1 Type12 Type13 Type3R Type4 Type4X |
| Mechanical Durability | 2 million |

| | |
|----------------------|------------|
| Environmental | |
| Degree of Protection | Front IP66 |

| | |
|---|--|
| Material Compliance | |
| Conflict Minerals Reporting Template (CMRT) | 9AKK108467A5658 |
| REACH Declaration | 2CMT2022-006479 |
| RoHS Information | 2CMT2022-006498 |
| RoHS Status | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |
| Toxic Substances Control Act - TSCA | 2CMT2023-006523 |
| WEEE B2C / B2B | Business To Business |
| WEEE Category | Product Not in WEEE Scope |

| | |
|--------------------------------------|-----------------|
| Certificates and Declarations | |
| cULus Certificate | 9AKK107046A9924 |
| Declaration of Conformity - CE | 2CMT2015-005453 |
| Declaration of Conformity - UKCA | 2CMT2020-006121 |

| Container Information | | |
|--------------------------------|--|---------------|
| Package Level 1 Units | | bag 10 piece |
| Package Level 1 Width | | 0.135 m |
| Package Level 1 Depth / Length | | 0.145 m |
| Package Level 1 Height | | 0.032 m |
| Package Level 1 Gross Weight | | 0.143 kg |
| Package Level 1 EAN | | 7320500248669 |

| Classifications | | |
|------------------------------------|--|------------------|
| Object Classification Code | | S |
| ETIM 6 | EC000221 - Front element for push button | |
| ETIM 7 | EC000221 - Front element for push button | |
| ETIM 8 | EC000221 - Front element for push button | |
| eClass | | V11.0 : 27371210 |
| UNSPSC | | 39122216 |
| IDEA Granular Category Code (IGCC) | 5212 >> Push button for distribution board | |
| E-Number (Finland) | | 2312254 |
| E-Number (Norway) | | 4372587 |

| Categories | |
|--|--|
| Low Voltage Products and Systems → Control Products → Pilot Devices → Modular Plastic Range → KPR Reset Pushbutton | |

