CR-M2SF 1/4



PRODUCT-DETAILS

## CR-M2SF

## CR-M2SF Standard socket, fork type for 2c/o CR-M relay



General Information	
Extended Product Type	CR-M2SF
Product ID	1SVR405651R1300
EAN	4013614528644
Catalog Description	CR-M2SF Standard socket, fork type for 2c/o CR-M relay
Long Description	The CR-M2SF socket is from the CR-M (miniature) relay range. The standard socket is suitable for CR-M relays with 2 c/o (SPDT) output contacts. The socket has fork type connection terminals. Pluggable function modules, holder and marker are available as accessories.

Ordering	
EAN	4013614528644
Minimum Order Quantity	10 piece
Customs Tariff Number	85366990

## **Popular Downloads**

Data Sheet, Technical 2CDC110004C0210\_05

CR-M2SF 2/4

Information	
Instructions and Manuals	1SVC405650M9000
CAD Dimensional Drawing	2CDC001079B0201

Dimensions	
Product Net Width	27 mm
Product Net Height	42.5 mm
Product Net Depth / Length	82 mm
Product Net Weight	0.04 kg

Technical	
Function	Accessory for interface relays CR-M
Sub-Function	Socket for miniature relays
Sub-Function 2	Standard socket for miniature relay 2 c/o
Rated Operational Voltage	250 V
Output	none
Terminal Type	Fork Screw Terminals
Rated Operational Current AC-12 (I <sub>e</sub> )	(230 V) 7 A
Rated Insulation Voltage (U <sub>i</sub> )	4 V
Mounting Position	1
Standards	CAN/CSA C22.2 No.14 IEC/EN 63000 IEC/EN 61984 UL 508

Technical UL/CSA	
Connecting Capacity	Flexible with Ferrule 2x 20-16 AWG
Main Circuit UL/CSA	Rigid 2x 20-14 AWG
	Stranded 2 x 20-14 AWG
Flammability According to UL94	V-0

Environmental	
Ambient Air Temperature	Operation -40 +70 °C Storage -40 +70 °C
Maximum Operating Altitude Permissible	2000 m

Material Compliance	
Conflict Minerals	9AKK108467A5658
Reporting Template	
(CMRT)	
RoHS Information	1SVD982020-0001
RoHS Status	Following EU Directive 2011/65/EU

CR-M2SF 3/4

Circular Value	
Environmental	1SAC200048H0009
Information	

Certificates and Declarations	
CSA Certificate	CSA_262671_2785566
cURus Certificate	cURus508_E244328
Declaration of Conformity - CE	1SVD982020-0001
Declaration of Conformity - UKCA	1SVD982020-1000
EAC Certificate	EAC_RU_C-DE.ME77.B.00446-19

Container Information	
Package Level 1 Units	box 10 piece
Package Level 1 Width	151 mm
Package Level 1 Depth / Length	71 mm
Package Level 1 Height	66 mm
Package Level 1 Gross Weight	0.402 kg
Package Level 1 EAN	4013614385216

Classifications	
Object Classification Code	К
ETIM 7	EC001456 - Relay socket
ETIM 8	EC001456 - Relay socket
ETIM 9	EC001456 - Relay socket
eClass	V11.0 : 27371603
UNSPSC	39122335

## Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Control\ Products \rightarrow Electronic\ Relays\ and\ Controls \rightarrow Interface\ Relays\ and\ Optocouplers$ 

CR-M2SF 4/4





