




---

**PRODUCT-DETAILS**

## IS2-ER3051K

### IS2-ER3051K Control and Automation Board



---

**General Information**

Extended Product Type	IS2-ER3051K
Product ID	ER3051K
EAN	8015646746436
Catalog Description	IS2-ER3051K Control and Automation Board
Long Description	Container for external cable container 2000x300x500mm (WxD)

---

**Technical**

Standards	See code for structure
Sub-Function 3	Cable trough
Suitable For	IS2 Enclosures for Automation
Suitable for Product Class	Control and Automation Board
Accessory Type	10. Cable container
Mounting Type	Kit Pre assembled
Product Type	5B5B30B392
Surface Finishing	Orange Peel, RAL 7035
Material	Pickled steel sheet
Options Provided	1. Container for external cable connection W=300mm

Remarks	ETIM
---------	------

### Material Compliance

RoHS Information	1STC860065
RoHS Date	20140108

### Environmental

Environmental Information	1STC804013D0209
---------------------------	-----------------

### Dimensions

Product Net Width	300 mm
Product Net Height	2000 mm
Product Net Depth / Length	0.500 mm
Product Net Weight	31.9340 kg
Reference Depth/Length	500 mm
Reference Height	2000 mm
Reference Width	400 mm 600 mm 800 mm 1000 mm 1200 mm 1600 mm

### Ordering

Package Level 1 Units	1 piece
Package Level 1 Gross Weight	32.934 kg

### Certificates and Declarations

Declaration of Conformity -CE	1STC860113
----------------------------------	------------

### Installation

Instructions and Manuals	1STM604121R0006
--------------------------	-----------------

### Popular Downloads

Data Sheet, Technical Information	1STC804013D0209
-----------------------------------	-----------------

### Classifications

ETIM 8	EC002620 - Components for installation (enclosure/cabinet)
WEEE Category	4. Large Equipment (Any External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Business
CN8	85381000

eClass

V11.1 : 27182811

Object Classification Code

U

---

## Categories

---

Low Voltage Products and Systems → Enclosures → Automation and Control Enclosures (System pro E control) → Enclosures - Baying (Horizontal Joining) → IS2

