




---

**PRODUCT-DETAILS**

## IS2-ER8050K

### IS2-ER8050K Control and Automation Board



---

**General Information**

Extended Product Type	IS2-ER8050K
Product ID	ER8050K
EAN	8015646746221
Catalog Description	IS2-ER8050K Control and Automation Board
Long Description	Top container for cable connection 800x500mm (WxD)

---

**Technical**

Standards	See code for structure
Sub-Function 3	Cable trough
Suitable For	IS2 Enclosures for Automation
Suitable for Product Class	Control and Automation Board
Accessory Type	10. Cable container
Mounting Type	Kit
	Pre assembled
Product Type	5B5B30B392
Surface Finishing	Orange Peel, RAL 7035
Material	Pickled steel sheet
Options Provided	2. Top container for cable connection

Remarks	ETIM
---------	------

### Material Compliance

RoHS Information	1STC860065
RoHS Date	20140108

### Environmental

Environmental Information	1STC804013D0209
---------------------------	-----------------

### Dimensions

Product Net Width	505 mm
Product Net Height	800 mm
Product Net Depth / Length	0.500 mm
Product Net Weight	23.250 kg
Reference Depth/Length	500 mm
Reference Height	1400 mm 1600 mm 1800 mm 2000 mm 2200 mm
Reference Width	800 mm 1600 mm

### Ordering

Package Level 1 Units	1 piece
Package Level 1 Gross Weight	23.730 kg

### Certificates and Declarations

Declaration of Conformity -CE	1STC860113
----------------------------------	------------

### Installation

Instructions and Manuals	1STM604121R0006
--------------------------	-----------------

### Popular Downloads

Data Sheet, Technical Information	1STC804013D0209
-----------------------------------	-----------------

### Classifications

ETIM 8	EC002620 - Components for installation (enclosure/cabinet)
WEEE Category	4. Large Equipment (Any External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Business
CN8	85381000

eClass

V11.1 : 27182811

Object Classification Code

U

---

## Categories

---

Low Voltage Products and Systems → Enclosures → Automation and Control Enclosures (System pro E control) → Enclosures - Baying (Horizontal Joining) → IS2

