



---

**PRODUCT-DETAILS**

# 1STQ005349B0000

## Control and Automation Board



---

**General Information**

Product ID	1STQ005349B0000
EAN	8015646858993
Catalog Description	Control and Automation Board
Long Description	IS2 blind door HxWxD 1400x400x400

---

**Technical**

Standards	IEC 62208, IEC 61439-1-2 NEMA 1, 3R, 12
Suitable For	IS2 Enclosures for Automation
Suitable for Product Class	Control and Automation Board
Configuration Type	1. Cabinet with single door
Enclosure Type	Pre assembled - cabinet with blind door
Mounting Type	Pre assembled
Product Type	5B5B10B110
Door Type	Single
Surface Finishing	Orange Peel, RAL 7035
Door Surface Finishing	Opaque
Material	Pickled steel sheet

Remarks	ETIM
RAL Number	<u>RAL 7035 - Light Grey</u>

### Material Compliance

RoHS Information	1STC860065
RoHS Status	No declaration needed
RoHS Date	20140108

### Environmental

Degree of Protection	acc. to IEC 60529 IP65
Environmental Information	<u>1STC804013D0209</u>

### Dimensions

Product Net Width	410 mm
Product Net Height	1505 mm
Product Net Depth / Length	440 mm
Product Net Weight	55 kg
Reference Depth/Length	400 mm
Reference Height	1400 mm
Reference Width	400 mm

### Ordering

Package Level 1 Units	1 piece
Package Level 1 Gross Weight	55 kg

### Certificates and Declarations

Declaration of Conformity - CE	<u>1STC860113</u>
-----------------------------------	-------------------

### Installation

Instructions and Manuals	<u>1STM604121R0007</u>
--------------------------	------------------------

### Popular Downloads

Data Sheet, Technical Information	<u>1STC804013D0209</u>
-----------------------------------	------------------------

### Classifications

ETIM 8	EC000261 - Enclosure/cabinet (empty)
WEEE Category	4. Large Equipment (Any External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Business
CN8	85381000
eClass	V11.1 : 27180101

---

## Categories

---

Low Voltage Products and Systems → Enclosures → Automation and Control Enclosures (System pro E control) → Enclosures - Baying (Horizontal Joining) → IS2

