




PRODUCT-DETAILS

# IS2-ES1805VC2K

## IS2-ES1805VC2K Control and Automation Board



| General Information   |                                                        |
|-----------------------|--------------------------------------------------------|
| Extended Product Type | IS2-ES1805VC2K                                         |
| Product ID            | ES1805VC2K                                             |
| EAN                   | 8015646742636                                          |
| Catalog Description   | IS2-ES1805VC2K Control and Automation Board            |
| Long Description      | Cabinet with glass door1800x1000x500mm (HxWxD) W=200mm |

| Technical              |                                                          |
|------------------------|----------------------------------------------------------|
| Standards              | IEC 62208, IEC 61439-1-2<br>NEMA 1, 3R, 12               |
| Configuration Type     | 5. Cabinet with cable container                          |
| Enclosure Type         | Pre assembled - glazed door cabinet with cable container |
| Mounting Type          | Pre assembled                                            |
| Product Type           | 5B5B10B150                                               |
| Door Type              | Double                                                   |
| Surface Finishing      | Orange Peel, RAL 7035                                    |
| Door Surface Finishing | Transparent                                              |
| Material               | Sheet Steel Metal                                        |

|            |                       |
|------------|-----------------------|
| Remarks    | ETIM                  |
| RAL Number | RAL 7035 - Light Grey |

Material Compliance

|                  |            |
|------------------|------------|
| RoHS Information | 1STC860065 |
| RoHS Date        | 20140108   |

Environmental

|                           |                        |
|---------------------------|------------------------|
| Degree of Protection      | acc. to IEC 60529 IP65 |
| Environmental Information | 1STC804013D0209        |

Dimensions

|                            |             |
|----------------------------|-------------|
| Product Net Width          | 1010 mm     |
| Product Net Height         | 1911.5 mm   |
| Product Net Depth / Length | 1040 mm     |
| Product Net Weight         | 105.0260 kg |
| Reference Depth/Length     | 500 mm      |
| Reference Height           | 1800 mm     |
| Reference Width            | 1000 mm     |

Ordering

|                              |            |
|------------------------------|------------|
| Package Level 1 Units        | 1 piece    |
| Package Level 1 Gross Weight | 111.730 kg |

Certificates and Declarations

|                                |            |
|--------------------------------|------------|
| Declaration of Conformity - CE | 1STC860113 |
|--------------------------------|------------|

Installation

|                          |                 |
|--------------------------|-----------------|
| Instructions and Manuals | 1STM604121R0006 |
|--------------------------|-----------------|

Popular Downloads

|                                   |                 |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | 1STC804013D0209 |
|-----------------------------------|-----------------|

Classifications

|               |                                                             |
|---------------|-------------------------------------------------------------|
| ETIM 8        | EC000261 - Enclosure/cabinet (empty)                        |
| WEEE Category | 4. Large Equipment (Any External Dimension More Than 50 cm) |

|                            |                      |
|----------------------------|----------------------|
| WEEE B2C / B2B             | Business To Business |
| CN8                        | 85381000             |
| eClass                     | V11.1 : 27180101     |
| Object Classification Code | U                    |

Categories

Low Voltage Products and Systems → Enclosures → Automation and Control Enclosures (System pro E control) → Enclosures - Baying (Horizontal Joining) → IS2

