



PRODUCT-DETAILS

# ESDT-10B.50

## CONDUIT VFLEX FINE PA12 NW10 50MBLK



| General Information   |                                                                                                         |
|-----------------------|---------------------------------------------------------------------------------------------------------|
| Extended Product Type | ESDT-10B.50                                                                                             |
| Product ID            | 7TAA292240R0050                                                                                         |
| EAN                   | 7630030239717                                                                                           |
| Catalog Description   | CONDUIT VFLEX FINE PA12 NW10 50MBLK                                                                     |
| Long Description      | Medium Wall Very Flexible Black Conduit, (ESD) Material - Polyamide 12, Conduit Size NW - 10, 50 Meters |

| Additional Information |                     |
|------------------------|---------------------|
| Application            | Machine             |
| Product Type           | Medium Wall Conduit |

| Ordering |               |
|----------|---------------|
| EAN      | 7630030239717 |
| UPC      | 786209955777  |

|                            |      |
|----------------------------|------|
| Dimensions                 |      |
| Product Net Depth / Length | 50 m |

|                     |                    |
|---------------------|--------------------|
| Technical           |                    |
| Number of Batteries | 0                  |
| Color               | Black              |
| Material            | Polyamide/Nylon 12 |

|               |                           |
|---------------|---------------------------|
| Environmental |                           |
| WEEE Category | Product Not in WEEE Scope |

|                                |              |
|--------------------------------|--------------|
| Container Information          |              |
| Package Level 1 Units          | 50 m         |
| Package Level 1 Height         | 0 mm<br>0 in |
| Package Level 1 Depth / Length | 0 mm<br>0 in |
| Package Level 1 Width          | 0 mm<br>0 in |

|                                   |                 |
|-----------------------------------|-----------------|
| Certificates and Declarations     |                 |
| Data Sheet, Technical Information | 9AKK107492A5694 |
| Instructions and Manuals          | ESDT-10B.50     |
| Declaration of Conformity - CE    | 9AKK107680A0674 |

|                 |                                    |
|-----------------|------------------------------------|
| Classifications |                                    |
| ETIM 8          | EC001175 - Corrugated plastic hose |
| UNSPSC          | 39131706                           |

|                                                                                                                                               |  |
|-----------------------------------------------------------------------------------------------------------------------------------------------|--|
| Categories                                                                                                                                    |  |
| Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems |  |

