



PRODUCT-DETAILS

F.HY.20
HYBRID-SHIELD BRAID CU/PES NW20



General Information	
Extended Product Type	F.HY.20
Product ID	7TAA292910R0271
EAN	7630030238444
Catalog Description	HYBRID-SHIELD BRAID CU/PES NW20
Long Description	Tin Plated Copper with Polyester Monofilament Hybrid Screening Braid - Fits to Conduit Size NW 23. Color Metal/Red

Additional Information	
Application	Machine
Product Type	Braided Hose

Ordering	
EAN	7630030238444
UPC	786209624949

Dimensions	
Product Net Depth / Length	50 m

Technical	
Number of Batteries	0
Color	Metallic Red
Material	Tin-Plated Copper with Polyester Screening

Environmental	
WEEE Category	Product Not in WEEE Scope

Container Information	
Package Level 1 Units	50 m
Package Level 1 Height	380.009 mm 14.961 in
Package Level 1 Depth / Length	399.999 mm 15.748 in
Package Level 1 Width	399.999 mm 15.748 in

Certificates and Declarations	
Data Sheet, Technical Information	F.HY.20
Instructions and Manuals	F.HY.20
Declaration of Conformity - CE	9AKK107680A0674

Classifications	
ETIM 8	EC001182 - Braided hose
UNSPSC	39131706

Categories	
Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems	

